

FUEL REPORT

Area QTS ATLANTA GA DC1 [4639] [QTS ATLANTA GA DC1] GA8

Diesel Fuel

Fluid No.2 DIESEL FUEL (ULTRALOW SULPHUR) (3500 GAL)

DIAGNOSIS

Recommendation

All laboratory tests indicate that this sample meets ASTM D975 specifications for No.2 ultra-low-sulfur diesel fuel.

Corrosion

All metal levels are normal indicating no corrosion in the system.

Contaminants

There is no bacteria or fungus (yeast and/or mold) indicated in the sample. The water content is negligible. There is no indication of any contamination in the fuel. The amount and size of particulates present in the system are acceptable.

Fuel Condition

Sulfur value derived by ASTM D5453 method for ULSD validation. Sulfur level is acceptable for ULSD specification.




Sample Rating Trend




| SAMPLE INFORM | IATION | method | limit/base | current | history1 | history2 |
|----------------------------|--------|------------------|------------|-------------|----------|----------|
| Sample Number | | Client Info | | WC0953965 | | |
| Sample Date | | Client Info | | 22 May 2024 | | |
| Machine Age | hrs | Client Info | | 0 | | |
| Sample Status | | | | NORMAL | | |
| PHYSICAL PROP | ERTIES | method | limit/base | current | history1 | history2 |
| Fuel Color | text | *Visual Screen | Yllow | Red | | |
| ASTM Color | scalar | *ASTM D1500 | | L4.5 | | |
| Visc @ 40°C | cSt | ASTM D445 | 3.0 | 2.49 | | |
| Pensky-Martens Flash Point | °C | *PMCC Calculated | 52 | 60.8 | | |
| SULFUR CONTEI | NT | method | limit/base | current | history1 | history2 |
| Sulfur | ppm | ASTM D5185m | 10 | 0 | | |
| Sulfur (UVF) | ppm | ASTM D5453 | | 9 | | |
| DISTILLATION | | method | limit/base | current | history1 | history2 |
| Initial Boiling Point | °C | ASTM D86 | 165 | 171 | | |
| 5% Distillation Point | °C | ASTM D86 | | 193 | | |
| 10% Distill Point | °C | ASTM D86 | 201 | 203 | | |
| 15% Distillation Point | °C | ASTM D86 | | 211 | | |
| 20% Distill Point | °C | ASTM D86 | 216 | 218 | | |
| 30% Distill Point | °C | ASTM D86 | 230 | 233 | | |
| 40% Distill Point | °C | ASTM D86 | 243 | 246 | | |
| 50% Distill Point | °C | ASTM D86 | 255 | 260 | | |
| 60% Distill Point | °C | ASTM D86 | 267 | 274 | | |
| 70% Distill Point | °C | ASTM D86 | 280 | 288 | | |
| 80% Distill Point | °C | ASTM D86 | 295 | 304 | | |
| 85% Distillation Point | °C | ASTM D86 | | 315 | | |
| 90% Distill Point | °C | ASTM D86 | 310 | 326 | | |
| 95% Distillation Point | °C | ASTM D86 | | 345 | | |
| Final Boiling Point | °C | ASTM D86 | 341 | 359 | | |
| IGNITION QUALI | ΓY | method | limit/base | current | history1 | history2 |
| API Gravity | | ASTM D7777 | 37.7 | 36 | | |
| Cetane Index | | ASTM D4737 | <40.0 | 48 | | |
| CONTAMINANTS | | method | limit/base | current | history1 | history2 |
| Silicon | ppm | ASTM D5185m | <1.0 | <1 | | |
| Sodium | ppm | ASTM D5185m | <0.1 | 1 | | |
| Potassium | ppm | ASTM D5185m | <0.1 | 2 | | |
| Water | % | ASTM D6304 | < 0.05 | 0.001 | | |
| ppm Water | ppm | ASTM D6304 | <500 | 2 | | |
| % Gasoline | % | *In-House | <0.50 | 0.0 | | |
| % Biodiesel | % | *In-House | <20.0 | 0.0 | | |



FUEL REPORT



| FLUID CLEANLIN | IESS | method | limit/base | current | history1 | history2 |
|-----------------|------|--------------|------------|----------|----------|----------|
| Particles >4µm | | ASTM D7647 | >2500 | 265 | | |
| Particles >6µm | | ASTM D7647 | >640 | 92 | | |
| Particles >14µm | | ASTM D7647 | >80 | 15 | | |
| Particles >21µm | | ASTM D7647 | >20 | 7 | | |
| Particles >38µm | | ASTM D7647 | >4 | 1 | | |
| Particles >71µm | | ASTM D7647 | >3 | 0 | | |
| Dil Cleanliness | | ISO 4406 (c) | >18/16/13 | 15/14/11 | | |
| HEAVY METALS | | method | limit/base | current | history1 | history2 |
| Aluminum | ppm | ASTM D5185m | <0.1 | 0 | | |
| Nickel | ppm | ASTM D5185m | <0.1 | 0 | | |
| ead | ppm | ASTM D5185m | <0.1 | 1 | | |
| /anadium | ppm | ASTM D5185m | <0.1 | 0 | | |
| ron | ppm | ASTM D5185m | <0.1 | <1 | | |
| Calcium | ppm | ASTM D5185m | <0.1 | 0 | | |
| Magnesium | ppm | ASTM D5185m | <0.1 | 0 | | |
| Phosphorus | ppm | ASTM D5185m | <0.1 | 0 | | |
| Zinc | ppm | ASTM D5185m | <0.1 | 0 | | |
| SAMPLE IMAGES | 3 | method | limit/base | current | history1 | history2 |
| Color | | | | | no image | no image |
| Bottom | | | | | no image | no image |
| GRAPHS | | | | | | |
| | | | | | | |




Received

Diagnosed

Tested

Test Package : DF-2 (Additional Tests: Fuel, Screen)

To discuss this sample report, contact Customer Service at 1-800-237-1369.



Pensky-Martens Flash Point (°C)



PETROLEUM RECOVERY SERVICES : WearCheck USA - 501 Madison Ave., Cary, NC 27513 : 07 Jun 2024 210 POWELL DR : 17 Jun 2024 SUMMERVILLE, SC : 17 Jun 2024 - Elizabeth Valachovic US 29483 Contact: AJAY EL Ajay@prsfuel.com * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: (843)225-1777 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) E:

Report Id: PETSUM [WUSCAR] 06204094 (Generated: 06/17/2024 10:40:13) Rev: 1

Certificate 12367

Contact/Location: AJAY EL - PETSUM