

OIL ANALYSIS REPORT

Sample Rating Trend





[W02008386] VOLVO A30G 742011

Component Transmission Fluid

{not provided} (11 GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample. (Customer Sample Comment: W02008386)

Area

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.


Fluid Condition

The condition of the fluid is acceptable for the time in service.


SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		ML0002507		
Sample Date		Client Info		11 Jun 2024		
Machine Age	hrs	Client Info		8888		
Oil Age	hrs	Client Info		2000		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	24		
Chromium	ppm	ASTM D5185m	>20	<1		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>50	19		
Lead	ppm	ASTM D5185m	>50	0		
Copper	ppm	ASTM D5185m	>300	14		
Tin	ppm	ASTM D5185m	>50	2		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		90		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		92		
Phosphorus	ppm	ASTM D5185m		195		
Zinc	ppm	ASTM D5185m		4		
Sulfur	ppm	ASTM D5185m		1526		
CONTAMINANTS	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		3		
Sodium	ppm	ASTM D5185m		5		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water		*Visual	20.2	NEG		
(08:36) Rev: 1	scalar	VISUAI			ubmitted Bv: DA	



OIL ANALYSIS REPORT



FLUID PROPERTI	ES metl	hod limit/base	current	history1	history2
Visc @ 40°C	cSt ASTM	D445	28.6		
SAMPLE IMAGES	metl	hod limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image
GRAPHS					
Ferrous Alloys					
iron chromium					
20+					
15- E					
E 10					
5					
2 ⁴ 0					
Jun 1 1/24		Jun11/24			
Non-ferrous Metals					
14 copper					
12 nonserve tin					
8					
4					
2 -					
0					
Jun 1 1/24		Jun11/24			
∃ Viscosity @ 40°C		Ju			
110 Abnormal					
90					
80 - Abnormal					
(고 70 유) 정 60					
50					
30 -					
20		24			
Jun11/24		Jun11/24			
: WearCheck USA - 501 : ML0002507	Received	: 13 Jun 2024		398, 5816 Wellington	W. RODGEF Rd, Gainesville,
: 06209419	Tested	: 17 Jun 2024		ĜAI	NESVILLE, \
: 11076880 : CONST	Diagnosed	: 17 Jun 2024 - Do	n balunuye	Contact: SERVI	US 2019 CE MANAGE
contact Customer Service	e at 1-800-237	7-1369.			



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: (703)754-8100 F:

Certificate L2367