### Sullivan Palatek

## **OIL ANALYSIS REPORT**

## Area FOOD GRADE 32 GARDNER DENVER S615898 - NU-TEK

Component Compressor

#### DIAGNOSIS

#### Recommendation

Oil and filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

#### Wear


All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.




SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCS06214815	UCS06065733	
Sample Date		Client Info		12 Jun 2024	11 Jan 2024	
Machine Age	hrs	Client Info		17349	13757	
Oil Age	hrs	Client Info		0	4000	
Oil Changed		Client Info		Changed	Not Changd	
Sample Status				NORMAL	NORMAL	
CONTAMINATION	۷	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0	0	
Chromium	ppm	ASTM D5185m	>10	0	0	
Nickel	ppm	ASTM D5185m		0	0	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>25	0	0	
Lead	ppm	ASTM D5185m	>25	0	0	
Copper	ppm	ASTM D5185m	>50	0	<1	
Tin	ppm	ASTM D5185m	>15	<1	0	
Vanadium	ppm	ASTM D5185m		0	<1	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	1	0	0	
Barium	ppm	ASTM D5185m	0.3	0	0	
Molybdenum	ppm	ASTM D5185m	0	0	0	
Manganese	ppm	ASTM D5185m	0	<1	0	
Magnesium	ppm	ASTM D5185m	0	0	0	
Calcium	ppm	ASTM D5185m	0.5	0	0	
Phosphorus	ppm	ASTM D5185m	536	2	17	
Zinc	ppm	ASTM D5185m	0.2	0	0	
Sulfur	ppm	ASTM D5185m	649	0	15	
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0	0	
Sodium	ppm	ASTM D5185m		<1	0	
Potassium	ppm	ASTM D5185m	>20	2	0	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.337	0.50	0.26	

Sample Rating Trend



# **OIL ANALYSIS REPORT**



VISUAL		method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG		
Free Water	scalar	*Visual		NEG	NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2	
√isc @ 40°C	cSt	ASTM D445	42.0	54.0	51.5		
SAMPLE IMAGES	5	method	limit/base	current	history1	history2	
Color						no image	
Bottom						no image	
GRAPHS Ferrous Alloys							
hant licke			Jun12/24				
Non-ferrous Metals	5						
copper lead tin tin			Juni 2/24				
Viscosity @ 40°C				Acid Number			
			(b)100 (b	T:			
Abnormal			Q 0.4	Race			
Base			上 0.3 	Base			
Abnormal							
Jan 1 1/2 4			Jun12/24	Jan 11/24		12/24	
/earCheck USA - 501 CS06214815	JEMCO-MAXAII						
S214815  Tested  : 24 Jun 2024    087679  Diagnosed  : 24 Jun 2024 - Jonathan Hester    ID 2					WEST FARGO, NI US 5807 Contact: DALE F		
tact Customer Servi outside of the ISO 17 ications are based o	7025 scop	be of accred	litation.		T: (	o-maxair.cor 701)281-036 E· \	

To discuss this sample report, co \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

Laboratory Sample No. Lab Number **Unique Number Test Package** 

Contact/Location: DALE K - UCJEMWES

F: x: