

JEA JACKSONVILLE FL [9952] [JEA JACKSONVILLE FL] GEN-0281

Diesel Fuel

No.2 DIESEL FUEL (ULTRALOW SULPHUR) (2000 GAL)

DIAGNOSIS

Recommendation

All laboratory tests indicate that this sample meets specifications for No.2 diesel fuel.

Corrosion


All metal levels are normal indicating no corrosion in the system.

Contaminants

There is no bacteria or fungus (yeast and/or mold) indicated in the sample. The water content is negligible. There is no indication of any contamination in the fuel. The amount and size of particulates present in the system are acceptable.

Fuel Condition

Sulfur value derived by ASTM D5453 method for ULSD validation.



Sample Rating Trend




NORMAL

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0953787		
Sample Date		Client Info		23 Jun 2024		
Machine Age	hrs	Client Info		0		
Sample Status				NORMAL		
PHYSICAL PROP	ERTIES	method	limit/base	current	history1	history2
Fuel Color	text	*Visual Screen	Yllow	Red		
ASTM Color	scalar	*ASTM D1500		L4.5		
Visc @ 40°C	cSt	ASTM D445	3.0	2.63		
Pensky-Martens Flash Point	°C	*PMCC Calculated	52	64.1		
SULFUR CONTER	NT	method	limit/base	current	history1	history2
Sulfur	ppm	ASTM D5185m	10	0		
Sulfur (UVF)	ppm	ASTM D5453		926		
DISTILLATION		method	limit/base	current	history1	history2
Initial Boiling Point	°C	ASTM D86	165	175		
5% Distillation Point	°C	ASTM D86		198		
10% Distill Point	°C	ASTM D86	201	209		
15% Distillation Point	°C	ASTM D86		218		
20% Distill Point	°C	ASTM D86	216	226		
30% Distill Point	°C	ASTM D86	230	242		
40% Distill Point	°C	ASTM D86	243	255		
50% Distill Point	°C	ASTM D86	255	268		
60% Distill Point	°C	ASTM D86	267	281		
70% Distill Point	°C	ASTM D86	280	294		
80% Distill Point	°C	ASTM D86	295	309		
85% Distillation Point	°C	ASTM D86		319		
90% Distill Point	°C	ASTM D86	310	329		
95% Distillation Point	°C	ASTM D86		345		
Final Boiling Point	°C	ASTM D86	341	360		
IGNITION QUALIT	ΓY	method	limit/base	current	history1	history2
API Gravity		ASTM D7777	37.7	34		
Cetane Index		ASTM D4737	<40.0	46		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	<1.0	<1		
Sodium	ppm	ASTM D5185m	<0.1	<1		
Potassium	ppm	ASTM D5185m	<0.1	0		
Water	%	ASTM D6304	<0.05	0.005		
ppm Water	ppm	ASTM D6304	<500	55		
% Gasoline	%	*In-House	<0.50	0.0		
% Biodiesel	%	*In-House	<20.0	0.0		





FUEL REPORT



D CLEANLINE	ESS	method				history2
es >4µm	m ASTM D764		>2500	105		
		ASTM D7647	>640	32		
es >14µm		ASTM D7647	>80	5		
es >21µm		ASTM D7647	>20	1		
es >38µm		ASTM D7647	>4	0		
es >71µm		ASTM D7647	>3	0		
anliness		ISO 4406 (c)	>18/16/13	14/12/10		
VY METALS		method	limit/base	current	history1	history2
um	ppm	ASTM D5185m	<0.1	0		
	ppm	ASTM D5185m	<0.1	0		
	ppm	ASTM D5185m	<0.1	0		
ium	ppm	ASTM D5185m	<0.1	<1		
	ppm	ASTM D5185m	<0.1	0		
n	ppm	ASTM D5185m	<0.1	<1		
sium	ppm	ASTM D5185m	<0.1	0		
norus	ppm	ASTM D5185m	<0.1	0		
	ppm	ASTM D5185m	<0.1	0		
PLE IMAGES		method	limit/base	current	history1	history2
					no image	no image
1					no image	no image
PHS						·

8





Pensky-Martens Flash Point (°C)



PETROLEUM RECOVERY SERVICES : WearCheck USA - 501 Madison Ave., Cary, NC 27513 210 POWELL DR Received : 24 Jun 2024 Tested : 27 Jun 2024 SUMMERVILLE, SC Diagnosed : 27 Jun 2024 - Elizabeth Valachovic US 29483 Test Package : DF-2 (Additional Tests: Fuel, Screen) Contact: AJAY EL To discuss this sample report, contact Customer Service at 1-800-237-1369. Ajay@prsfuel.com * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: (843)225-1777 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) E:

Report Id: PETSUM [WUSCAR] 06217687 (Generated: 06/29/2024 19:25:10) Rev: 1

Certificate 12367

Contact/Location: AJAY EL - PETSUM

Page 2 of 2