

# Area JEA JACKSONVILLE FL [18275] [JEA JACKSONVILLE FL] GEN-0724

**Diesel Fuel** Fluid

No.2 DIESEL FUEL (ULTRALOW SULPHUR) (125 GAL)

# DIAGNOSIS

#### Recommendation

All laboratory tests indicate that this sample meets specifications for No.2 ultra-low-sulfur diesel fuel.

#### Corrosion


All metal levels are normal indicating no corrosion in the system.

## Contaminants

The water content is negligible. There is no bacteria or fungus (yeast and/or mold) indicated in the sample. There is no indication of any contamination in the fuel. The amount and size of particulates present in the system are acceptable.

### **Fuel Condition**

Sulfur value derived by ASTM D5453 method for ULSD validation. Sulfur level is acceptable for ULSD specification.




Sample Rating Trend



SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0953784		
Sample Date		Client Info		23 Jun 2024		
Machine Age	hrs	Client Info		0		
Sample Status				NORMAL		
PHYSICAL PROP	ERTIES	method	limit/base	current	history1	history2
Fuel Color	text	*Visual Screen	Yllow	Red		
ASTM Color	scalar	*ASTM D1500		L4.0		
Visc @ 40°C	cSt	ASTM D445	3.0	2.59		
Pensky-Martens Flash Point	°C	*PMCC Calculated	52	63.2		
SULFUR CONTER	NT	method	limit/base	current	history1	history2
Sulfur	ppm	ASTM D5185m	10	0		
Sulfur (UVF)	ppm	ASTM D5453		10		
DISTILLATION		method	limit/base	current	history1	history2
Initial Boiling Point	°C	ASTM D86	165	174		
5% Distillation Point	°C	ASTM D86		195		
10% Distill Point	°C	ASTM D86	201	205		
15% Distillation Point	°C	ASTM D86		214		
20% Distill Point	°C	ASTM D86	216	222		
30% Distill Point	°C	ASTM D86	230	237		
40% Distill Point	°C	ASTM D86	243	251		
50% Distill Point	°C	ASTM D86	255	264		
60% Distill Point	°C	ASTM D86	267	278		
70% Distill Point	°C	ASTM D86	280	292		
80% Distill Point	°C	ASTM D86	295	307		
85% Distillation Point	°C	ASTM D86		318		
90% Distill Point	°C	ASTM D86	310	328		
95% Distillation Point		ASTM D86		346		
Final Boiling Point	°C	ASTM D86	341	360		
IGNITION QUALI	ΓY	method	limit/base	current	history1	history2
API Gravity		ASTM D7777	37.7	36		
Cetane Index		ASTM D4737	<40.0	47		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	<1.0	<1		
Sodium	ppm	ASTM D5185m	<0.1	<1		
Potassium	ppm	ASTM D5185m	<0.1	0		
Water	%	ASTM D6304	<0.05	0.005		
ppm Water	ppm	ASTM D6304	<500	51		
% Gasoline	%	*In-House	<0.50	0.0		
% Biodiesel	%	*In-House	<20.0	0.0		



# **FUEL REPORT**



-24 -22 ISO -18 1999 Clean -16 Clean -14 -12	Particles >4µm		ASTM D7647				
+22 80 +20 440g	Deutlate Our		ASTIVI D7047	>2500	50		
T20 8	Particles >6µm		ASTM D7647	>640	24		
-18 📅	Particles >14µm		ASTM D7647	>80	7		
+16 Cle	Particles >21µm		ASTM D7647	>20	3		
-14 anime	Particles >38µm		ASTM D7647	>4	0		
-12 ss -10 de	Particles >71µm		ASTM D7647	>3	0		
-8	Oil Cleanliness		ISO 4406 (c)	>18/16/13	13/12/10		
71μ	HEAVY METALS		method	limit/base	current	history1	history2
	Aluminum	ppm	ASTM D5185m	<0.1	0		
	Nickel	ppm	ASTM D5185m	<0.1	0		
	Lead	ppm	ASTM D5185m	<0.1	0		
	Vanadium	ppm	ASTM D5185m	<0.1	<1		
	Iron	ppm	ASTM D5185m	<0.1	0		
	Calcium	ppm	ASTM D5185m	<0.1	0		
	Magnesium	ppm	ASTM D5185m	<0.1	0		
3/24	Phosphorus	ppm	ASTM D5185m	<0.1	0		
Jun23/24	Zinc	ppm	ASTM D5185m	<0.1	0		
	SAMPLE IMAGE	S	method	limit/base	current	history1	history2
	Color					no image	no image
24	Bottom					no image	no image
Jun23/24	GRAPHS Fuel Distillation Cu	Irve			Pensky-Marten	is Flash Point (	°C)
38	0°C T	ii ve		ې <sup>80</sup>	<sup>0</sup> T		C)
36	0°C - Sample			9 atrue	0		
34	0°C -				Base		
				/ <sup>*</sup> 51	0		<i>v</i>
32	0°C -		/		Jun23/24		ACCC
30	0°C -		1.		-		-
28	0°C -		1.	500	GCD Spectrum		
۳۳ חפים 224 224 20	0°C 0°C 0°C 0°C			450 400 350 (V) 300 800 250 800 250 800 200 800 200			
16 14 12	10%	rcent Recovere		15/ 10/ 5/ 000	D	8 Time (min)	15
oratory :	WearCheck USA - 50			, NC 27513	PETROL	EUM RECOVE	RY SERVICES

Test Package : DF-2 ( Additional Tests: Fuel, Screen ) Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: PETSUM [WUSCAR] 06217697 (Generated: 06/26/2024 15:12:26) Rev: 1

۵ă

Contact/Location: AJAY EL - PETSUM

F:

Ajay@prsfuel.com

T: (843)225-1777