


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id

RCHS_U2120 RCHS_U2120_P2120

Non-Drive End Pump

ROYAL PURPLE SYNFILM GT 32 (--- GAL)

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

The water content is negligible. There is no indication of any contamination in the oil.

Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


		ep2019 Ju	in2020 Mar2021 D	ec2021 Sep2022 Jun2023	Mar2024	
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		RP0043866	RP0029026	RP0025840
Sample Date		Client Info		27 Jun 2024	18 Mar 2024	26 Dec 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>75	1	2	<1
Chromium	ppm	ASTM D5185m	>5	0	<1	0
Nickel	ppm	ASTM D5185m		0	<1	0
Titanium	ppm	ASTM D5185m		0	<1	<1
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>5	0	1	0
Lead	ppm	ASTM D5185m	>10	0	2	<1
Copper	ppm	ASTM D5185m	>15	<1	2	1
Tin	ppm	ASTM D5185m		0	<1	<1
Vanadium	ppm	ASTM D5185m		0	<1	<1
Cadmium	ppm	ASTM D5185m		0	<1	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		0	<1	0
Molybdenum	ppm	ASTM D5185m		0	<1	1
Manganese	ppm	ASTM D5185m		0	<1	<1
Magnesium	ppm	ASTM D5185m		42	80	81
Calcium	ppm	ASTM D5185m		0	7	9
Phosphorus	ppm	ASTM D5185m		0	6	0
Zinc	ppm	ASTM D5185m		0	2	0
CONTAMINANTS	8	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	<1	2	0
Sodium	ppm	ASTM D5185m		2	0	2
Potassium	ppm	ASTM D5185m	>20	<1	1	0
Water	%	ASTM D6304	>.1	0.023	0.006	0.022
ppm Water	ppm	ASTM D6304	>1000	235	62	222
FLUID DEGRAD	NOITA	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.36	0.40	0.36
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>.1	NEG	NEG	NEG
				_	bmittad Dv NA	THANHOLMEC


Ibmitted By: NATHAN E OLMES



OIL ANALYSIS REPORT












GRAPHS Ferrous Alloys Non-ferrous Metals











Certificate 12367

Laboratory Sample No.

: RP0043866 Lab Number : 06236126 Unique Number : 11124960

Test Package : IND 2

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received **Tested**

: 16 Jul 2024 Diagnosed : 17 Jul 2024 - Don Baldridge

: 15 Jul 2024

1406 EAST AVON ROAD

ROCHESTER, MI US 48307

T: (313)580-0267

Contact: SCOTT VERHELLE

ENERGY TRANSFER - ROCHESTER

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Submitted By: NATHAN HOLMES

Report Id: ENEROCMI [WUSCAR] 06236126 (Generated: 07/17/2024 12:06:24) Rev: 1

F: