

OIL ANALYSIS REPORT

Area **ROTO XTEND FG** Machine Id **ATLAS COPCO ITJ371528 - CYTOSORBENTS** Component

Component Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend



NORMAL


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06236967		
Sample Date		Client Info		14 Jul 2024		
Machine Age	hrs	Client Info		27184		
Oil Age	hrs	Client Info		3264		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1		
Chromium	ppm	ASTM D5185m	>5	<1		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>15	2		
Lead	ppm	ASTM D5185m	>65	0		
Copper	ppm	ASTM D5185m	>65	2		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		<1		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		479		
Zinc	ppm	ASTM D5185m		69		
Sulfur	ppm	ASTM D5185m		1219		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	<1		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.14	0.25		




40

Jul14/24

OIL ANALYSIS REPORT



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Jul14,24	Appearance	scalar	*Visual	NORML	NORML		
٦ ٦	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPER1	FIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	46	41.6		
	SAMPLE IMAGES	S	method	limit/base	current	history1	history2
+ 52/5 Linr	Color				2	no image	no image
	Bottom				SCH SH	no image	no image
	Non-ferrous Metal	ls		Jul14/24			
	Viscosity @ 40°C			H/g)	Acid Number		
	250 45 45 40			(0,0.30 (0,140) 0.24 (0,0.18 4qu 0.12 V 0.06 V 0.00	Base		
Laboratory Sample No.	: WearCheck USA - 50 : UCH06236967	1 Madiso Rece		Jui14,24	+5/+1Inr AIRMAT	TIC COMPRESS 700 WASH	OR SYSTEM
Lab Number			Tested : 17 Jul 2024 Diagnosed : 17 Jul 2024 - Don Baldridge			CARLSTADT, N US 0707 Contact: ELVIN DIA iccompressor.com;canastasio@wearcheckusa.co	



Contact/Location: ELVIN DIAZ - UCAIRCAR

F: (201)342-6241