

## **OIL ANALYSIS REPORT**

Sample Rating Trend

NORMAL

### Area ACS-46-5 [420694] ATLAS COPCO API270484 - WUXI

Component Compressor

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	<b>/IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06236980	UCH06083719	
Sample Date		Client Info		24 Jun 2024	08 Feb 2024	
Machine Age	hrs	Client Info		37783	34429	
Oil Age	hrs	Client Info		3353	8132	
Oil Changed		Client Info		Changed	N/A	
Sample Status				NORMAL	NORMAL	
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0	0	
Chromium	ppm	ASTM D5185m	>5	<1	0	
Nickel	ppm	ASTM D5185m		<1	0	
Titanium	ppm	ASTM D5185m		<1	<1	
Silver	ppm	ASTM D5185m		<1	0	
Aluminum	ppm	ASTM D5185m	>15	2	1	
Lead	ppm	ASTM D5185m	>65	<1	<1	
Copper	ppm	ASTM D5185m	>65	2	2	
Tin	ppm	ASTM D5185m	>10	<1	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		<1	<1	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0.0	0	0	
Barium	ppm	ASTM D5185m	0.0	<1	0	
Molybdenum	ppm	ASTM D5185m	0	<1	<1	
Manganese	ppm	ASTM D5185m	0	0	0	
Magnesium	ppm	ASTM D5185m	0.0	<1	<1	
Calcium	ppm	ASTM D5185m	0.0	0	<1	
Phosphorus	ppm	ASTM D5185m	966	133	21	
Zinc	ppm	ASTM D5185m	0	37	36	
Sulfur	ppm	ASTM D5185m	1309	882	0	
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	2	<1	
Sodium	ppm	ASTM D5185m		0	0	
Potassium	ppm	ASTM D5185m	>20	1	<1	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.172	0.23	0.23	



38 36 Abnormal 34 Feb 8/24

# **OIL ANALYSIS REPORT**

VISUAL



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE	NONE	
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
	Precipitate	scalar	*Visual	NONE	NONE	NONE	
	Silt	scalar	*Visual	NONE	NONE	NONE	
	Debris	scalar	*Visual	NONE	LIGHT	NONE	
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Jun24,24	Appearance	scalar	*Visual	NORML	NORML	NORML	
Jun2	Odor	scalar	*Visual	NORML	NORML	NORML	
	Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
	Free Water	scalar	*Visual		NEG	NEG	
	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	39.9	44.7	48.9	
	SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Jun24/24 -	Color			R			no image
	Bottom						no image
	Ferrous Alloys			Jun24/24			
	tom copper tom co			Jun24/24			
	Viscosity @ 40°C			7	Acid Number		
	50 Abnormal			₽ <sup>0.25</sup>	;T :		
	45- ©				Base		
	Co e0 40 Base XS Abnormal			E 0.15			
	35 - Abnormal			(B)H0,25 (B)H0,20 (J)			
	30						
	Feb8/24			Jun24/24	Feb 8/24 -		
	Feb			Jun2	Feb		
Laboratory	: WearCheck USA - 50 <sup>-</sup> : UCH06236980	1 Madiso <b>Recei</b>		y, NC 27513 5 Jul 2024	AIRMA	TIC COMPRESS 700 WASH	

Contact/Location: ELVIN DIAZ - UCAIRCAR