



CONSTRUCTION EQUIPMENT

PRINCE VOLVO L90H 627129 - DIESEL ENGINE



Sample No: VCP437332
Oil Type: VOLVO ULTRA DIESEL ENGINE OIL 15W40 VDS-3
Job No: PRINCE



SAMPLE INFORMATION

Sample Number	VCP437332	---	---	---
Sample Date	09 Apr 2024	---	---	---
Machine Hours	908	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---

ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



OIL CONDITION

Visc @ 100°C	cSt	█ 13.6	---	---	---
Base Number (BN)	mg KOH/g	█ 9.0	---	---	---
Oxidation (PA)	%	61	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.



CONTAMINATION

Water	%	NEG	---	---	---
Soot %	%	█ 0.1	---	---	---
Nitration (PA)	%	43	---	---	---
Sulfation (PA)	%	56	---	---	---
Glycol	%	NEG	---	---	---
Fuel	%	<1.0	---	---	---
Silicon	ppm	█ 8	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 3	---	---	---



WEAR METALS

Iron	ppm	█ 6	---	---	---
Copper	ppm	█ 5	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ <1	---	---	---
Aluminum	ppm	█ 3	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 65	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 1394	---	---	---
Magnesium	ppm	█ 383	---	---	---
Zinc	ppm	█ 1092	---	---	---
Phosphorus	ppm	█ 858	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	330	---	---	---

Depot: VOLVO0093
Unique No: 11077114
Signed: Don Baldrige
Report Date: 17 Jun 2024



CONSTRUCTION EQUIPMENT



GRAPHS


Iron (ppm)



Lead (ppm)




Aluminum (ppm)




Chromium (ppm)




Copper (ppm)



Silicon (ppm)



Viscosity @ 100°C



Base Number





CONSTRUCTION EQUIPMENT

PRINCE VOLVO L90H 627129 - TRANSMISSION (AUTO)



Sample No: VCP444776
Oil Type: VOLVO AUTOMATIC TRANSMISSION FLUID AT102
Job No: PRINCE



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP444776	---	---	---
Sample Date	09 Apr 2024	---	---	---
Machine Hours	908	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	ABNORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 28.4	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 4	---	---	---
Sodium	ppm	█ 2	---	---	---
Potassium	ppm	█ 3	---	---	---



WEAR METALS

Iron	ppm	▲ 176	---	---	---
Copper	ppm	█ 9	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ <1	---	---	---
Aluminum	ppm	█ 3	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ <1	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ 9	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	71	---	---	---
Magnesium	ppm	█ 1	---	---	---
Zinc	ppm	█ 36	---	---	---
Phosphorus	ppm	█ 184	---	---	---
Barium	ppm	█ 1	---	---	---
Boron	ppm	█ 74	---	---	---

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. The iron level is abnormal. All other component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.








Depot: VOLVO0093
Unique No: 11083475
Signed: Angela Borella
Report Date: 17 Jun 2024



CONSTRUCTION EQUIPMENT



GRAPHS





CONSTRUCTION EQUIPMENT

PRINCE VOLVO L90H 627129 - HYDRAULIC SYSTEM



Sample No: VCP437499
Oil Type: VOLVO SUPER HYDRAULIC OIL 46
Job No: PRINCE



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP437499	---	---	---
Sample Date	09 Apr 2024	---	---	---
Machine Hours	908	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	ABNORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 44.4	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.41	---	---	---



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 2	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ <1	---	---	---



WEAR METALS

Iron	ppm	█ 3	---	---	---
Copper	ppm	█ <1	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 0	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ <1	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	<1	---	---	---



ADDITIVES

Calcium	ppm	█ 70	---	---	---
Magnesium	ppm	█ 3	---	---	---
Zinc	ppm	█ 484	---	---	---
Phosphorus	ppm	█ 356	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 0	---	---	---

Diagnosis

We recommend you service the filters on this component. Resample at the next service interval to monitor. We were unable to perform a particle count due to a high concentration of particles present in this sample. All component wear rates are normal. Moderate concentration of visible dirt/debris present in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0093
Unique No: 11082862
Signed: Don Baldrige
Report Date: 17 Jun 2024




CONSTRUCTION EQUIPMENT




GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Acid Number





CONSTRUCTION EQUIPMENT

PRINCE VOLVO L90H 627129 - FRONT AXLE



Sample No: VCP445555
Oil Type: VOLVO WET BRAKE TRANSAXLE OIL
Job No: PRINCE



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP445555	---	---	---
Sample Date	09 Apr 2024	---	---	---
Machine Hours	908	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 41.2	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 17	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 3	---	---	---



WEAR METALS

Iron	ppm	█ 61	---	---	---
Copper	ppm	█ 1	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 1	---	---	---
Chromium	ppm	█ 3	---	---	---
Molybdenum	ppm	█ 17	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 9	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 4010	---	---	---
Magnesium	ppm	█ 11	---	---	---
Zinc	ppm	█ 1653	---	---	---
Phosphorus	ppm	█ 1308	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 134	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: VOLVO0093
Unique No: 11083363
Signed: Wes Davis
Report Date: 17 Jun 2024



CONSTRUCTION EQUIPMENT




GRAPHS


Iron (ppm)




Lead (ppm)




Aluminum (ppm)




Chromium (ppm)



Copper (ppm)




Silicon (ppm)



Viscosity @ 40°C



Additives





CONSTRUCTION EQUIPMENT

PRINCE VOLVO L90H 627129 - REAR AXLE



Sample No: VCP451207
Oil Type: VOLVO WET BRAKE TRANSAXLE OIL
Job No: PRINCE



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP451207	---	---	---
Sample Date	09 Apr 2024	---	---	---
Machine Hours	908	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 41.3	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 20	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 3	---	---	---



WEAR METALS

Iron	ppm	█ 53	---	---	---
Copper	ppm	█ 84	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 9	---	---	---
Aluminum	ppm	█ 1	---	---	---
Chromium	ppm	█ 3	---	---	---
Molybdenum	ppm	█ 3	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 6	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 3996	---	---	---
Magnesium	ppm	█ 13	---	---	---
Zinc	ppm	█ 1636	---	---	---
Phosphorus	ppm	█ 1281	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 135	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: VOLVO0093
Unique No: 11083365
Signed: Wes Davis
Report Date: 17 Jun 2024



CONSTRUCTION EQUIPMENT




GRAPHS


Iron (ppm)




Lead (ppm)




Aluminum (ppm)




Chromium (ppm)



Copper (ppm)



Silicon (ppm)



Viscosity @ 40°C



Additives

