

VOLVO CONSTRUCTION EQUIPMENT
VOLVO
LUBRICANTS



MORE CARE. BUILT IN.



ADVANTAGES VOLVO LUBRICANTS



Volvo Diesel Engine Oils

- Reduce the oil and fuel consumption due to low friction.
- Have outstanding soot control which keeps the engine clean even in tough operating conditions.
- Reduce engine wear and give longer engine service life.



Volvo Super Hydraulic Oils

- Offer excellent anti-wear characteristics.
- Have superior deposit control in valves.
- Fulfil the strictest filtration requirements from the main hydraulic pump manufacturers.
- Prevent corrosion.
- Have good oxidation stability for longer oil service life.
- Improve lubrication capacity due to minimal foaming.



Volvo Axle, Gear and Transmission Oils

- Wide operating temperature range due to high Viscosity Index.
- Provide outstanding corrosion protection.
- Excellent antifriction and antiwear properties.
- Give longer service life due to excellent lubricating characteristics.

VOLVO LUBRICANTS PROTECT YOUR MACHINE



Volvo Construction Equipment offers a wide range of high quality lubricants, specially developed for Volvo machines in today's demanding operating conditions.

For the best overall economy, always change oil filters when changing oil. Always use Volvo lubricants in combination with Volvo genuine filters.



Be just as demanding when selecting lubricants as you were when you bought your machine

Volvo lubricants are a guarantee for maintaining your Volvo machine's performance and good overall economy. The lubricants are specially tested for Volvo machines according to specifications from Volvo Construction Equipment, and therefore meet the strictest requirements for safety, quality and environmental care.

More care. Built in.

Under our policy of continuous improvement, we reserve the right to change specifications and designs without prior notice. Contact your dealer for further information.

VOLVO

Volvo Construction Equipment
www.volvo.com

Ref. No VOE 2136698732 English
Printed in Sweden 2008.03-2,0 CST
Volvo, Eskilstuna