



Synthetic ATF



Manufacturer
PETRO CANADA
Brandname
ATF DEXRON III/MERCON
Viscosity Class
ATF

Fluid Type / Base Oil
Synthetic ATF / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 30.9	34.3	> 37.7
KV100 (cSt)	< 6.9	7.7	> 8.5
VI	< 189	210	> 231




Manufacturer
PETRO CANADA
Brandname
ATF DEXRON III/MERCON
Viscosity Class
ATF

Fluid Type / Base Oil
Synthetic ATF / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 30.9	34.3	> 37.7
KV100 (cSt)	< 6.9	7.7	> 8.5
VI	< 189	210	> 231



ISO Gear Oil



Manufacturer
PETRO CANADA
Brandname
ULTIMA EP 150
Viscosity Class
ISO 150

Fluid Type / Base Oil
ISO Gear Oil / Mineral


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 135	150	> 165
KV100 (cSt)	< 13.2	14.7	> 16.2
VI	< 87	97	> 106



Manufacturer
SHELL
Brandname
OMALA 220
Viscosity Class
ISO 220

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 198	220	> 242
KV100 (cSt)	< 17.5	19.4	> 21.3
VI	< 90	100	> 110



Manufacturer
SHELL
Brandname
OMALA 220
Viscosity Class
ISO 220

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 198	220	> 242
KV100 (cSt)	< 17.5	19.4	> 21.3
VI	< 90	100	> 110



Manufacturer
SHELL
Brandname
OMALA 320
Viscosity Class
ISO 320

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 288	320	> 352
KV100 (cSt)	< 22.5	25	> 27.5
VI	< 90	100	> 110



Manufacturer
SHELL
Brandname
OMALA 320
Viscosity Class
ISO 320

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 288	320	> 352
KV100 (cSt)	< 22.5	25	> 27.5
VI	< 90	100	> 110



Manufacturer
SHELL
Brandname
OMALA 460
Viscosity Class
ISO 460

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 414	460	> 506
KV100 (cSt)	< 27.7	30.8	> 33.9
VI	< 87	97	> 106



Manufacturer
SHELL
Brandname
OMALA 680
Viscosity Class
ISO 680

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 612	680	> 748
KV100 (cSt)	< 34.2	38	> 41.8
VI	< 82	92	> 101



Synthetic (PAO) Gear Oil



Manufacturer
MOBIL
Brandname
SHC 630
Viscosity Class
ISO 220

Fluid Type / Base Oil
Synthetic (PAO) Gear Oil / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 195.9	217.7	> 239.5
KV100 (cSt)	< 23.3	25.9	> 28.5
VI	< 136	152	> 167




Manufacturer
MOBIL
Brandname
MOBILGEAR SHC 220
Viscosity Class
ISO 220

Fluid Type / Base Oil
Synthetic (PAO) Gear Oil / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 198	220	> 242
KV100 (cSt)	< 23.4	26	> 28.6
VI	< 135	150	> 165



unknown



Manufacturer
PETRO CANADA
Brandname
ENDURATEX EP&XL SYNTH BLEND 68-220
Viscosity Class
ISO 150

Fluid Type / Base Oil
unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 135	150	> 165
KV100 (cSt)	---	---	---
VI	---	---	---




ISO AW Hydraulic Oil



Manufacturer
MOBIL
Brandname
DTE 25
Viscosity Class
ISO 46

Fluid Type / Base Oil
ISO AW Hydraulic Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 39.8	44.2	> 48.6
KV100 (cSt)	< 6	6.7	> 7.4
VI	< 88	98	> 107



Manufacturer
PETRO CANADA
Brandname
HYDREX MV 22
Viscosity Class
ISO 22

Fluid Type / Base Oil
ISO AW Hydraulic Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 20	22.2	> 24.4
KV100 (cSt)	< 4.5	5	> 5.5
VI	< 140	156	> 171



Manufacturer
PETRO CANADA
Brandname
HYDREX AW 46
Viscosity Class
ISO 46

Fluid Type / Base Oil
ISO AW Hydraulic Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 41.8	46.4	> 51
KV100 (cSt)	< 6.2	6.9	> 7.6
VI	< 93	104	> 114



Manufacturer
SHELL
Brandname
TELLUS 32
Viscosity Class
ISO 32

Fluid Type / Base Oil
ISO AW Hydraulic Oil / Mineral


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 29.1	32.3	> 35.5
KV100 (cSt)	< 4.9	5.4	> 5.9
VI	< 89	99	> 108




Manufacturer
SHELL
Brandname
TELLUS 46
Viscosity Class
ISO 46

Fluid Type / Base Oil
ISO AW Hydraulic Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 42.3	47	> 51.7
KV100 (cSt)	< 6.1	6.8	> 7.5
VI	< 86	96	> 105



ISO Gas / Steam Turbine Oil



Manufacturer
PETRO CANADA
Brandname
SUPER TURBOFLO 32
Viscosity Class
ISO 32

Fluid Type / Base Oil
ISO Gas / Steam Turbine Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 29.2	32.4	> 35.6
KV100 (cSt)	< 5	5.6	> 6.2
VI	< 99	110	> 121



ISO Gear Oil




Manufacturer
SHELL
Brandname
OMALA 68
Viscosity Class
ISO 68

Fluid Type / Base Oil
ISO Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 7.8	8.7	> 9.6
VI	< 89	99	> 108



ISO Hyd Oil (R&O Hi-Visc)




Manufacturer
MOBIL
Brandname
DTE OIL HEAVY
Viscosity Class
ISO 100

Fluid Type / Base Oil
ISO Hyd Oil (R&O Hi-Visc) / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 85.6	95.1	> 104.6
KV100 (cSt)	< 9.8	10.9	> 12
VI	< 82	92	> 101




ISO R&O Hydraulic Oil



Manufacturer
ESSO
Brandname
TERESSO ISO 32
Viscosity Class
ISO 32

Fluid Type / Base Oil
ISO R&O Hydraulic Oil / Mineral-Paraffinic


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 4.6	5.1	> 5.6
VI	< 73	82	> 90



Manufacturer
SHELL
Brandname
TURBO T ISO 46
Viscosity Class
ISO 46

Fluid Type / Base Oil
ISO R&O Hydraulic Oil / Mineral


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 41.4	46	> 50.6
KV100 (cSt)	< 5.9	6.6	> 7.3
VI	---	---	---



Manufacturer
SHELL
Brandname
TURBO T ISO 32
Viscosity Class
ISO 32

Fluid Type / Base Oil
ISO R&O Hydraulic Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 4.7	5.2	> 5.7
VI	< 91	102	> 112




Manufacturer
SHELL
Brandname
TURBO T ISO 32
Viscosity Class
ISO 32

Fluid Type / Base Oil
ISO R&O Hydraulic Oil / Mineral


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 4.7	5.2	> 5.7
VI	< 91	102	> 112



ISO Screw Compressor Oil



scan in app



Manufacturer

GARDNER DENVER

Brandname

AEON 9000 SP

Viscosity Class

ISO 46

Fluid Type / Base Oil


ISO Screw Compressor Oil / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 44.1	49	> 53.9
KV100 (cSt)	< 7	7.8	> 8.6
VI	< 115	128	> 140

lube info



Mineral Reciprocating Compressor Oil



scan in app



Manufacturer

SHELL

Brandname

CORENA P 68

Viscosity Class

ISO 68

Fluid Type / Base Oil

Mineral Reciprocating Compressor Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 62.1	69	> 75.9
KV100 (cSt)	< 7.4	8.2	> 9
VI	< 74	83	> 91

lube info



Synthetic (PAG) Fire-Resistant Fluid



scan in app



Manufacturer

QUAKER CHEMICAL

Brandname

QUINTOLUBRIC 888-68

Viscosity Class

ISO 68

Fluid Type / Base Oil

Synthetic (PAG) Fire-Resistant Fluid / Ester - Polyol

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 12.6	14	> 15.4
VI	< 193	215	> 236

lube info



unknown



scan in app



Manufacturer

ROYAL PURPLE

Brandname

SYNFILM 32

Viscosity Class

ISO 32

Fluid Type / Base Oil

unknown / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 5.2	5.8	> 6.4
VI	< 110	123	> 135

lube info



scan in app



Manufacturer

ROYAL PURPLE

Brandname

SYNFILM 68

Viscosity Class

ISO 68

Fluid Type / Base Oil

unknown / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 8.8	9.8	> 10.8
VI	< 113	126	> 138

lube info



scan in app



Manufacturer

ROYAL PURPLE

Brandname

SYNFILM GT 32

Viscosity Class

ISO 32

Fluid Type / Base Oil

unknown / Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 5.2	5.8	> 6.4
VI	< 113	126	> 138

lube info



scan in app



Manufacturer

ATLAS COPCO

Brandname

ROTO Z FLUID

Viscosity Class

ISO 68

Fluid Type / Base Oil

unknown / Semi-Synthetic - PAO

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 9.1	10.1	> 11.1
VI	< 119	133	> 146

lube info



scan in app



Manufacturer

PETRO CANADA

Brandname

ENDURATEX EP 68

Viscosity Class

ISO 68

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 8.2	9.1	> 10
VI	< 98	109	> 119

lube info



scan in app



Manufacturer

SHELL

Brandname

TURBO J

Viscosity Class

ISO 32

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 28.8	32	> 35.2
KV100 (cSt)	< 4.8	5.3	> 5.8
VI	< 93	104	> 114

lube info



scan in app



Manufacturer

SHELL

Brandname

TELLUS 10

Viscosity Class

ISO 10

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 8.7	9.7	> 10.7
KV100 (cSt)	< 2.2	2.4	> 2.6
VI	< 30	34	> 37

lube info



scan in app



Manufacturer

SHELL

Brandname

TELLUS 22

Viscosity Class

ISO 22

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 19.2	21.3	> 23.4
KV100 (cSt)	< 3.8	4.2	> 4.6
VI	< 89	99	> 108

lube info



scan in app



Manufacturer

SHELL

Brandname

TURBO T ISO 68

Viscosity Class

ISO 68

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.2	68	> 74.8
KV100 (cSt)	< 7.7	8.5	> 9.4
VI	---	---	---

lube info



scan in app



Manufacturer

MOBIL

Brandname

RARUS 827

Viscosity Class

ISO 100


Fluid Type / Base Oil

unknown / Synthetic

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 96.8	107.5	> 118.3
KV100 (cSt)	< 9.1	10.1	> 11.1
VI	< 59	66	> 72

lube info






Manufacturer
SHELL
Brandname
TELLUS S2 MX 46
Viscosity Class
ISO 46

Fluid Type / Base Oil
unknown / Mineral



Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 41.4	46	> 50.6
KV100 (cSt)	< 6.2	6.9	> 7.6
VI	< 94	105	> 115



Manufacturer
SHELL
Brandname
TONNA V ISO 68
Viscosity Class
ISO 68

Fluid Type / Base Oil
unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 61.4	68.2	> 75
KV100 (cSt)	< 5.6	6.2	> 6.8
VI	< 93	104	> 114



Manufacturer
FUCHS
Brandname
RENOLIT SUPERPLEX 2
Viscosity Class
NLGI 2

Fluid Type / Base Oil
unknown / Grease - Aluminum Complex

Specification	Abn Low	Base	Abn High
KV40 (cSt)	---	---	---
KV100 (cSt)	---	---	---
VI	---	---	---



SAE Diesel Engine Oil



Manufacturer
PETRO CANADA
Brandname
DURON SAE 15W40
Viscosity Class
SAE 15W40

Fluid Type / Base Oil
SAE Diesel Engine Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 106.4	118.2	> 130
KV100 (cSt)	< 14	15.6	> 17.2
VI	< 125	139	> 152



Manufacturer
SHELL
Brandname
ROTELLA T 15W40
Viscosity Class
SAE 15W40

Fluid Type / Base Oil
SAE Diesel Engine Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 108	120	> 132
KV100 (cSt)	< 14.1	15.7	> 17.3
VI	< 125	139	> 152




SAE Railway Diesel Engine Oil




Manufacturer
SHELL
Brandname
CAPRINUS XRE 20W40
Viscosity Class
SAE 20W40

Fluid Type / Base Oil
SAE Railway Diesel Engine Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 113.4	126	> 138.6
KV100 (cSt)	< 13.1	14.6	> 16.1
VI	< 108	120	> 132




SAE Wet Brake Transaxle Oil




Manufacturer
SHELL
Brandname
DONAX TD
Viscosity Class
SAE 5W30

Fluid Type / Base Oil
SAE Wet Brake Transaxle Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 50.7	56.3	> 61.9
KV100 (cSt)	< 8.5	9.4	> 10.3
VI	< 134	149	> 163






Tractor TDH Fluid



Manufacturer
SHELL
Brandname
DONAX TC SAE 30
Viscosity Class
SAE 30

Fluid Type / Base Oil
Tractor TDH Fluid / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 84.2	93.5	> 102.9
KV100 (cSt)	< 9.9	11	> 12.1
VI	< 91	102	> 112




Manufacturer
SHELL
Brandname
DONAX TC SAE 30
Viscosity Class
SAE 30

Fluid Type / Base Oil
Tractor TDH Fluid / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 84.2	93.5	> 102.9
KV100 (cSt)	< 9.9	11	> 12.1
VI	< 91	102	> 112




Transmission/Drive Train Oil



Manufacturer
PETRO CANADA
Brandname
PRODURO TO-4 SAE 30
Viscosity Class
SAE 30

Fluid Type / Base Oil
Transmission/Drive Train Oil / Mineral


Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 79.7	88.5	> 97.4
KV100 (cSt)	< 9.9	11	> 12.1
VI	< 99	110	> 121




Manufacturer
PETRO CANADA
Brandname
PRODURO TO-4 SAE 10W
Viscosity Class
SAE 10W

Fluid Type / Base Oil
Transmission/Drive Train Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 31.9	35.4	> 38.9
KV100 (cSt)	< 5.7	6.3	> 6.9
VI	< 115	128	> 140



SAE Gear Oil



Manufacturer
PETRO CANADA
Brandname
GEARLUBE TOS 80W90
Viscosity Class
SAE 80W90

Fluid Type / Base Oil
SAE Gear Oil / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 126.3	140.3	> 154.3
KV100 (cSt)	< 13.6	15.1	> 16.6
VI	< 98	109	> 119



unknown



scan in app



Manufacturer

SHELL

Brandname

SPIRAX HD 75W90

Viscosity Class

SAE 75W90

Fluid Type / Base Oil

unknown / Mineral

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 90	100	> 110
KV100 (cSt)	< 17.3	19.2	> 21.1
VI	< 175	195	> 214

lube info



Synthetic (PAG) Fire-Resistant Fluid



scan in app



Manufacturer

HOUGHTON

Brandname

HOUGHTO-SAFE 620

Viscosity Class

UNCLSSFD

Fluid Type / Base Oil

Synthetic (PAG) Fire-Resistant Fluid / Glycol - Water

Specification	Abn Low	Base	Abn High
KV40 (cSt)	---	---	---
KV100 (cSt)	---	---	---
VI	---	---	---

lube info



unknown



scan in app



Manufacturer

METALWORKING LUBRICANTS

Brandname

METSAFE FR200 HYD FLUID

Viscosity Class

UNCLSSFD

Fluid Type / Base Oil

unknown / Glycol - Water

Specification	Abn Low	Base	Abn High
KV40 (cSt)	---	---	---
KV100 (cSt)	---	---	---
VI	---	---	---

lube info



scan in app



Manufacturer

GARDNER DENVER

Brandname

AEON 5000

Viscosity Class

UNCLSSFD

Fluid Type / Base Oil

unknown / Ester - Dibasic Acid

Specification	Abn Low	Base	Abn High
KV40 (cSt)	< 60.3	67	> 73.7
KV100 (cSt)	< 7.5	8.3	> 9.1
VI	< 81	91	> 100

lube info

