



TRAAP

Texas Refinery Advanced Analysis Program

OIL ANALYSIS REPORT

WEAR	NORMAL
CONTAMINATION	MARGINAL
FLUID CONDITION	NORMAL

Machine Id
FORD SITE 98 F150

Component
Gasoline Engine

Fluid
TRC MOLY XL PROSPEC III 10W30 (6 QTS)

RECOMMENDATION













Oil and filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		TR00798862	---	---
Sample Date		Client Info		01 Apr 2004	---	---
Machine Age	mls	Client Info		138000	---	---
Oil Age	mls	Client Info		0	---	---
Filter Age	mls	Client Info		0	---	---
Oil Changed		Client Info		Changed	---	---
Filter Changed		Client Info		Changed	---	---
Sample Status				NORMAL	---	---

WEAR

All component wear rates are normal.

Fuel		WC Method		<1.0	---	---
Water		WC Method		NEG	---	---
Glycol		WC Method		NEG	---	---



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : TR00798862
Lab Number : 00798862
Unique Number : 2132612
Test Package : MOB 2

Received : 06 Apr 2004
Tested : 07 Apr 2004
Diagnosed :

PMD
 561 N KANSAS
 EDWARDSVILLE, IL
 US 62025
 Contact: LARRY HARTMAN
 larryhartman@sbcglobal.net

To discuss this sample report, contact Customer Service at 1-800-827-0711.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:
 F: (618)656-1148