

Machine Id MINECAT MC100G FMC027 Component Coolant Fluid EXTENDED LIFE COOLANT (--- GAL)

RECOMMENDATION

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) EXTENDED LIFE COOLANT. Please confirm.

CORROSION

All component wear rates are normal.

CONTAMINANTS


There is no indication of any contamination in the coolant.

COOLANT CONDITION

The condition of the coolant is acceptable for the time in service.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		WC0886132		
Sample Date		Client Info		02 Jan 2024		
Machine Age	hrs	Client Info		5382		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
Iron	ppm	ASTM D5185(m)	>15	0		
Aluminum	ppm	ASTM D5185(m)	>10	0		
Copper		ASTM D5185(m)	>10	0		
Lead	ppm ppm	ASTM D5185(m)	>10	<1		
Tin		ASTM D5185(m)	>10	0		
Silver	ppm ppm	ASTM D5185(m)	>10	0		
Zinc		ASTM D5185(m)	>10	0		
200	ppm	ASTN D3103(III)				
Calcium	ppm	ASTM D5185(m)	>100	0		
Magnesium	ppm	ASTM D5185(m)	>40	0		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
Coolant Appearance		Visual*	Clear	Clear		
Specific Gravity		ASTM D1298*		4 070		
		AG HVI D 1230				
	Scale 0-14	ASTM D1287*	9.0	1.070		
pH Nitrites	Scale 0-14	ASTM D1287*	9.0	7.81		
Nitrites	ppm	Alcan Test Kit*	9.0	7.81 1200		
Nitrites Reserve Alkalinity	ppm Scale 0-20	Alcan Test Kit* ASTM D1121*		7.81 1200 2.9		
Nitrites Reserve Alkalinity Percentage Glycol	ppm Scale 0-20 %	Alcan Test Kit* ASTM D1121* ASTM D3321*	50	7.81 1200 2.9 52.2		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point	ppm Scale 0-20	Alcan Test Kit* ASTM D1121*		7.81 1200 2.9 52.2 -40	 	
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate	ppm Scale 0-20 % °C	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321*	50	7.81 1200 2.9 52.2 -40 		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon	ppm Scale 0-20 % °C	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon Phosphorus	ppm Scale 0-20 % °C ppm	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m) ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0 <1		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon Phosphorus Boron	ppm Scale 0-20 % °C ppm ppm	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m) ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0 <1 0		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon Phosphorus Boron Molybdenum	ppm Scale 0-20 % °C ppm ppm ppm	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0 <1 0 0 0		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon Phosphorus Boron Molybdenum Sodium	ppm Scale 0-20 % °C ppm ppm ppm ppm	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0 <1 0 0 <1 0 2 1		
Nitrites Reserve Alkalinity Percentage Glycol Freezing Point Carboxylate Silicon Phosphorus Boron Molybdenum	ppm Scale 0-20 % °C ppm ppm ppm	Alcan Test Kit* ASTM D1121* ASTM D3321* ASTM D3321* ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	50	7.81 1200 2.9 52.2 -40 0 <1 0 0 0		





Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Agnico Eagle Canada CALA Sample No. : WC0886132 Recieved : 04 Jan 2024 1350 Government Rd. W, MACASSA COMPLEX Lab Number : 02606636 : 05 Jan 2024 Kirkland Lake, ON Diagnosed ISO 17025:2017 Accredited Laboratory Unique Number : 5707722 Diagnostician : Wes Davis CA P2N 3J1 Test Package : COOL Contact: Mike Campbell To discuss this sample report, contact Customer Service at 1-800-268-2131. mike.campbell@agnicoeagle.com Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. T: (705)567-5208 Validity of results and interpretation are based on the sample and information as supplied. F: (705)567-5221