



OIL ANALYSIS REPORT

WEAR	NORMAL
CONTAMINATION	ABNORMAL
FLUID CONDITION	NORMAL

Machine Id
CLOVER COMPACTOR 120 #2
 Component
Gearbox
 Fluid
CPP PG 220 (--- GAL)

RECOMMENDATION

We advise that you check for the source of water entry. We advise that you follow the water drain-off procedure for this component. We recommend an early resample to monitor this condition.

WEAR

All component wear rates are normal.








CONTAMINATION

Free water present.

FLUID CONDITION

The oil is no longer serviceable due to the presence of contaminants.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		WC0738313	WC0738340	---
Sample Date		Client Info		11 Jan 2024	05 Jul 2023	---
Machine Age	hrs	Client Info		0	0	---
Oil Age	hrs	Client Info		0	0	---
Filter Age	hrs	Client Info		0	0	---
Oil Changed		Client Info		Not Changd	Not Changd	---
Filter Changed		Client Info		Not Changd	Not Changd	---
Sample Status				ABNORMAL	NORMAL	---
PQ		ASTM D8184*		0	0	---
Iron	ppm	ASTM D5185(m)	>200	3	2	---
Chromium	ppm	ASTM D5185(m)	>10	0	0	---
Nickel	ppm	ASTM D5185(m)	>10	<1	0	---
Titanium	ppm	ASTM D5185(m)		0	0	---
Silver	ppm	ASTM D5185(m)		0	0	---
Aluminum	ppm	ASTM D5185(m)	>25	<1	0	---
Lead	ppm	ASTM D5185(m)	>50	0	0	---
Copper	ppm	ASTM D5185(m)	>200	<1	2	---
Tin	ppm	ASTM D5185(m)	>10	0	0	---
Vanadium	ppm	ASTM D5185(m)		0	0	---
White Metal	scalar	Visual*	NONE	NONE	NONE	---
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	---
Silicon	ppm	ASTM D5185(m)	>50	2	2	---
Potassium	ppm	ASTM D5185(m)	>20	1	0	---
Water	%	ASTM D6304*	>0.2	0.175	---	---
ppm Water	ppm	ASTM D6304*	>2000	1755	---	---
Silt	scalar	Visual*	NONE	NONE	NONE	---
Debris	scalar	Visual*	NONE	VLITE	VLITE	---
Sand/Dirt	scalar	Visual*	NONE	NONE	NONE	---
Appearance	scalar	Visual*	NORML	WGOIL	NORML	---
Odor	scalar	Visual*	NORML	NORML	NORML	---
Emulsified Water	scalar	Visual*	>0.2	.2%	NEG	---
Sodium	ppm	ASTM D5185(m)		<1	<1	---
Boron	ppm	ASTM D5185(m)		15	<1	---
Barium	ppm	ASTM D5185(m)		0	0	---
Molybdenum	ppm	ASTM D5185(m)		0	<1	---
Manganese	ppm	ASTM D5185(m)		0	0	---
Magnesium	ppm	ASTM D5185(m)		<1	3	---
Calcium	ppm	ASTM D5185(m)		7	25	---
Phosphorus	ppm	ASTM D5185(m)		329	142	---
Zinc	ppm	ASTM D5185(m)		6	15	---
Sulfur	ppm	ASTM D5185(m)		9440	4565	---
Visc @ 40°C	cSt	ASTM D7279(m)		225	224	---



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : WC0738313 **Received** : 22 Jan 2024
Lab Number : **02610418** **Diagnosed** : 23 Jan 2024
Unique Number : 5711504 **Diagnostician** : Kevin Marson
Test Package : FLEET (Additional Tests: KF, PQ)

CRD, Integrated Water Services
 337 Victoria View Road
 Victoria, BC
 CA V9A 3Z3
 Contact: Maintenance Planning
 maintenanceplanning@crd.bc.ca

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.