



# OIL ANALYSIS REPORT

WEAR	NORMAL
CONTAMINATION	NORMAL
FLUID CONDITION	NORMAL

Area  
**SKYCARE AIR AMBULANCES [53123]**  
 Machine Id  
**WW1124A 77541**  
 Component  
**Right Jet Turbine**  
 Fluid  
**MOBIL JET OIL 254 (--- GAL)**

## RECOMMENDATION

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		<b>GT55317</b>	GT55288	GT55315
Sample Date		Client Info		<b>27 Mar 2024</b>	26 Jan 2024	13 Dec 2023
Machine Age	hrs	Client Info		<b>9297</b>	0	0
Oil Age	hrs	Client Info		<b>296</b>	132	25
Filter Age	hrs	Client Info		<b>164</b>	147	25
Oil Changed		Client Info		<b>N/A</b>	N/A	N/A
Filter Changed		Client Info		<b>N/A</b>	N/A	N/A
Sample Status				<b>---</b>	---	NORMAL

## WEAR





Iron	ppm	ASTM D5185(m)	>8	<b>&lt;1</b>	---	<1
Chromium	ppm	ASTM D5185(m)	>2	<b>0</b>	---	0
Nickel	ppm	ASTM D5185(m)	>2	<b>0</b>	---	0
Silver	ppm	ASTM D5185(m)	>2	<b>&lt;1</b>	---	<1
Aluminum	ppm	ASTM D5185(m)	>2	<b>1</b>	---	<1
Lead	ppm	ASTM D5185(m)	>3	<b>1</b>	---	<1
Copper	ppm	ASTM D5185(m)	>3	<b>&lt;1</b>	---	0

## CONTAMINATION

Water		WC Method	>0.1	<b>NEG</b>	NEG	NEG
-------	--	-----------	------	------------	-----	-----

## FLUID CONDITION

Magnesium	ppm	ASTM D5185(m)	0	<b>&lt;1</b>	---	0
Visc @ 40°C	cSt	ASTM D7279(m)	26.4	<b>---</b>	---	27.6



**Laboratory** : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9  
**Sample No.** : GT55317  
**Lab Number** : 02626300  
**Unique Number** : 5759432  
**Test Package** : G731 ( Additional Tests: ICP )

**Honeywell Engines**  
 111 S. 34th Street, 301 Receiving, Attn: SOAP Program  
 PHOENIX, AZ  
 US 85034  
 Contact: GARRETT

To discuss this sample report, contact Customer Service at 1-800-268-2131.  
 Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab.  
 Validity of results and interpretation are based on the sample and information as supplied.

T:  
 F: (602)365-2676