



# OIL ANALYSIS REPORT

WEAR	NORMAL
CONTAMINATION	NORMAL
FLUID CONDITION	NORMAL

Area

[53144]

Machine Id

**BOMBARDIER LEARJET 35 P-74134C (S/N 394)**

Component

**Jet Turbine**

Fluid

**MOBIL JET OIL 254 (--- GAL)**

## RECOMMENDATION

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		<b>GT55350</b>	GT	GT55265
Sample Date		Client Info		<b>02 Apr 2024</b>	27 Feb 2024	17 Nov 2023
Machine Age	hrs	Client Info		<b>14209</b>	14109	13874
Oil Age	hrs	Client Info		<b>1150</b>	1149	914
Filter Age	hrs	Client Info		<b>101</b>	235	234
Oil Changed		Client Info		<b>N/A</b>	N/A	N/A
Filter Changed		Client Info		<b>N/A</b>	N/A	N/A
Sample Status				<b>---</b>	NORMAL	---

## WEAR





Iron	ppm	ASTM D5185(m)	>8	<b>1</b>	1	<1
Chromium	ppm	ASTM D5185(m)	>2	<b>&lt;1</b>	0	0
Nickel	ppm	ASTM D5185(m)	>2	<b>0</b>	0	0
Silver	ppm	ASTM D5185(m)	>2	<b>&lt;1</b>	<1	0
Aluminum	ppm	ASTM D5185(m)	>2	<b>&lt;1</b>	1	1
Lead	ppm	ASTM D5185(m)	>3	<b>1</b>	1	<1
Copper	ppm	ASTM D5185(m)	>3	<b>&lt;1</b>	0	0

## CONTAMINATION

Water		WC Method	>0.1	<b>NEG</b>	NEG	NEG
-------	--	-----------	------	------------	-----	-----

## FLUID CONDITION

Magnesium	ppm	ASTM D5185(m)	0	<b>0</b>	0	0
Visc @ 40°C	cSt	ASTM D7279(m)	26.4	<b>---</b>	27.4	---



**Laboratory** : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9  
**Sample No.** : GT55350 **Received** : 04 Apr 2024  
**Lab Number** : 02626835 **Tested** :  
**Unique Number** : 5759967 **Diagnosed** :  
**Test Package** : G731 ( Additional Tests: ICP )

**Honeywell Engines**  
 111 S. 34th Street, 301 Receiving, Attn: SOAP Program  
 PHOENIX, AZ  
 US 85034  
 Contact: GARRETT

To discuss this sample report, contact Customer Service at 1-800-268-2131.  
 Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab.  
 Validity of results and interpretation are based on the sample and information as supplied.

T:  
 F: (602)365-2676