
CORROSION CONTAMINANTS FUEL CONDITION **NORMAL NORMAL NORMAL**


EAGLE WING TOURS

D6-435

Port Diesel Fuel

| No.2 DIESEL FUEL (ULTRALOW SULPHUR) (| GAL) | | | | | | |
|---|------------------|--------|---------------|-----------|-------------|----------|----------|
| RECOMMENDATION | Test | UOM | Method | Limit/Abn | Current | History1 | History2 |
| Please contact your representative for information regarding the proper sampling kits for your service. | Sample Number | | Client Info | | VPA062099 | | |
| | Sample Date | | Client Info | | 05 May 2024 | | |
| | Machine Age | hrs | Client Info | | 0 | | |
| | Sample Status | | | | NORMAL | | |
| CORROSION | Iron | ppm | ASTM D5185(m) | >2 | 0 | | |
| {not applicable} | Chromium | ppm | ASTM D5185(m) | | 0 | | |
| | Nickel | ppm | ASTM D5185(m) | | 0 | | |
| | Titanium | ppm | ASTM D5185(m) | >2 | 0 | | |
| | Silver | ppm | ASTM D5185(m) | >2 | 0 | | |
| | Aluminum | ppm | ASTM D5185(m) | >2 | 0 | | |
| | Lead | ppm | ASTM D5185(m) | | 0 | | |
| | Copper | ppm | ASTM D5185(m) | >2 | 0 | | |
| | Tin | ppm | ASTM D5185(m) | >2 | 0 | | |
| | Vanadium | ppm | ASTM D5185(m) | | 0 | | |
| | White Metal | scalar | Visual* | NONE | NONE | | |
| | Yellow Metal | scalar | Visual* | NONE | NONE | | |
| CONTAMINANTS | Silicon | nnm | ASTM D5185(m) | . 10 | 0 | | |
| | Potassium | ppm | ASTM D5185(m) | >10 | 0 | | |
| There is no indication of any contamination in the component(unconfirmed). | Silt | ppm | Visual* | NONE | NONE | | |
| | Debris | scalar | Visual* | NONE | NONE | | |
| | Sand/Dirt | scalar | Visual* | NONE | NONE | | |
| | Appearance | scalar | Visual* | NORML | NORML | | |
| | Odor | scalar | Visual* | NORML | NORML | | |
| | Emulsified Water | scalar | Visual* | >0.05 | NEG | | |
| FUEL CONDITION | Sodium | nnm | ASTM D5185(m) | >5 | <1 | | |
| Not enough sample submitted to determine fuel condition and/or classification. | Boron | ppm | ASTM D5185(m) | | 0 | | |
| | Barium | ppm | ASTM D5185(m) | | 0 | | |
| | Molybdenum | ppm | ASTM D5185(m) | | 0 | | |
| | Manganese | ppm | ASTM D5185(m) | - | 0 | | |
| | Magnesium | ppm | ASTM D5185(m) | 2 | 0 | | |
| | Calcium | ppm | ASTM D5185(m) | | 0 | | |
| | Phosphorus | ppm | ASTM D5185(m) | | 0 | | |
| | Zinc | ppm | ASTM D5185(m) | | 0 | | |
| | | 2. 1 | \ / | | | | |
| | Sulfur | ppm | ASTM D5185(m) | 10 | 5 | | |







CALA ISO 17025:2017 Accredited Laboratory

Laboratory Sample No. Lab Number : 02633697 Unique Number : 5774850

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 : VPA062099 Test Package : MOB 1

Received **Tested** Diagnosed

: 06 May 2024 : 07 May 2024

: 07 May 2024 - Kevin Marson

Contact: Kayla Sousa service@seapower.ca T: (250)656-4341

To discuss this sample report, contact Customer Service at 1-800-268-2131. Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Sea Power Ltd

CA V8L 3Z8

2077 Amelia Ave SIDNEY, BC