Honeywell

OIL ANALYSIS REPORT

WEAR NORMAL CONTAMINATION NORMAL FLUID CONDITION NORMAL

Area (C-GQHJ) PERIMETER AVIATION [53269] Machine Id [C-GQHJ] FAIRCHILD SA226 P-54149 (S/N TC295) 2 Jet Turbine

EASTMAN TURBO OIL 2380 (--- GAL)


RECOMMENDATION

This is a baseline read-out on the submitted sample.

1

CONTAMINATION
FLUID CONDITION

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		GT57501	GT57284	GT55962
Sample Date		Client Info		09 May 2024	27 Mar 2024	12 Feb 2024
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		246	155	59
Filter Age	hrs	Client Info		91	97	91
Oil Changed		Client Info		N/A	N/A	N/A
Filter Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL		NORMAL
Iron	ppm	ASTM D5185(m)	>8	0	<1	<1
Chromium	ppm	ASTM D5185(m)	>2	0	0	0
Nickel	ppm	ASTM D5185(m)	>2	0	0	0
Silver	ppm	ASTM D5185(m)	>2	0	0	0
Aluminum	ppm	ASTM D5185(m)	>2	<1	<1	1
Lead	ppm	ASTM D5185(m)	>3	<1	<1	<1
Copper	ppm	ASTM D5185(m)	>3	<1	0	<1
Water		WC Method	>0.1	NEG	NEG	NEG
Magnesium	ppm	ASTM D5185(m)	0	<1	0	0
Acid Number (AN)	mg KOH/g	ASTM D974*	0.43	0.49	0.44	0.51
Visc @ 40°C	cSt	ASTM D7279(m)	24.2	24.4	25.0	24.7



Accredited
LaboratoryUnique Number: 5776599Diagnosed: 14 May 2024 - Wes DavisTest Package: G331 (Additional Tests: ICP)To discuss this sample report, contact Customer Service at 1-800-268-2131.Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.Validity of results and interpretation are based on the sample and information as supplied.

T: F: (602)365-2676

Contact: GARRETT

Contact/Location: GARRETT ? - HONPHO

Page 2 of 2