Honeywell

OIL ANALYSIS REPORT

Area ALKAN AIR [53376] 2088 P-123256 (S/N 208B0666) Component

Jet Turbine

EASTMAN TURBO OIL 2380 (--- GAL)

RECOMMENDATION


This is a baseline read-out on the submitted sample.

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
V	١	7)	Δ		F	2							
	H			1											

CONTAMINATION
FLUID CONDITION

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		GT57054	GT57830	GT56755
Sample Date		Client Info		06 Jun 2024	16 May 2024	15 Dec 2023
Machine Age	hrs	Client Info		0	1389	0
Oil Age	hrs	Client Info		104	796	760
Filter Age	hrs	Client Info		104	36	89
Oil Changed		Client Info		N/A	N/A	N/A
Filter Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	
Iron	ppm	ASTM D5185(m)	>8	<1	<1	<1
Chromium	ppm	ASTM D5185(m)	>2	0	0	0
Nickel	ppm	ASTM D5185(m)	>2	0	0	0
Silver	ppm	ASTM D5185(m)	>2	0	0	0
Aluminum	ppm	ASTM D5185(m)	>2	<1	<1	<1
Lead	ppm	ASTM D5185(m)	>3	<1	<1	<1
Copper	ppm	ASTM D5185(m)	>3	0	0	<1
Water		WC Method	>0.1	NEG	NEG	NEG
Magnesium	ppm	ASTM D5185(m)	0	0	0	0
Acid Number (AN)	mg KOH/g	ASTM D974*	0.43	0.86	0.77	1.01
Visc @ 40°C	cSt	ASTM D7279(m)	24.2	24.4	24.1	

WEAR NORMAL CONTAMINATION NORMAL FLUID CONDITION NORMAL



LaboratoryTest Package: G331 (Additional Tests: ICP)To discuss this sample report, contact Customer Service at 1-800-268-2131.Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.Validity of results and interpretation are based on the sample and information as supplied.

T: F: (602)365-2676

Contact: GARRETT

Contact/Location: GARRETT ? - HONPHO Page 2 of 2