CORROSION CONTAMINANTS COOLANT CONDITION

NORMAL NORMAL NORMAL


2H28

PETERBILT 367 TCK6046 - REEFER (S/N 1XPTP4EX6JD482553)

Component Coolant

EYTENDED I IFF COOLANT (-

RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service.	Sample Number		Client Info		ARI0007214		
	Sample Date		Client Info		02 Jan 2024		
	Machine Age	hrs	Client Info		4120		
	Oil Age	hrs	Client Info		0		
	Oil Changed		Client Info		Not Changd		
	Sample Status				NORMAL		
DRROSION Total Dissolved Solids					658.5		
	Coolant Appearance		*Visual	Clear	normal		
CONTAMINANTS	Specific Gravity		*ASTM D1298		1.073		
There is no indication of any contamination in the coolant.	рН	Scale 0-14	ASTM D1287		8.18		
	Nitrites	ppm	AP-053:2009		788		
	Reserve Alkalinity	Scale 0-20	*ASTM D1121				
	Percentage Glycol	%	ASTM D3321		54.2		
	Freezing Point	°F	ASTM D3321		-45		
	Carboxylate				n/a		
	Coolant Color		*Visual		Red		







Certificate L2367

Laboratory Sample No. Lab Number **Unique Number**

: 10820461 Test Package : COOL- (Additional Tests: COOL)

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : ARI0007214 Recieved : 08 Jan 2024

: 06054512 Diagnosed : 10 Jan 2024 Diagnostician

: Jonathan Hester

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

INSITUFORM TECHNOLOGIES, INC

17988 EDISON AVE. CHESTERFIELD, MO US 63005

Contact: ANDY RICHTER

ARICHTER@INSITUFORM.COM T: (314)280-7555

F: