



OIL ANALYSIS REPORT

| | |
|-----------------|---------------|
| WEAR | NORMAL |
| CONTAMINATION | NORMAL |
| FLUID CONDITION | NORMAL |

Machine Id

19

Component

Diesel Engine

Fluid

PETRO CANADA DURON HP 15W40 (--- GAL)

RECOMMENDATION

Resample at the next service interval to monitor. Please specify the component make and model with your next sample.

| Test | UOM | Method | Limit/Abn | Current | History1 | History2 |
|----------------|-----|-------------|-----------|--------------------|-------------|-------------|
| Sample Number | | Client Info | | WC0867920 | WC0867899 | WC0740575 |
| Sample Date | | Client Info | | 19 Feb 2024 | 06 Nov 2023 | 06 Oct 2022 |
| Machine Age | mls | Client Info | | 145047 | 139528 | 124905 |
| Oil Age | mls | Client Info | | 0 | 0 | 5000 |
| Filter Age | mls | Client Info | | 0 | 0 | 5000 |
| Oil Changed | | Client Info | | Not Changd | Not Changd | N/A |
| Filter Changed | | Client Info | | Not Changd | Not Changd | N/A |
| Sample Status | | | | NORMAL | NORMAL | NORMAL |

WEAR

All component wear rates are normal.

| | | | | | | |
|--------------|--------|-------------|------|--------------|------|------|
| Iron | ppm | ASTM D5185m | >100 | 56 | 44 | 54 |
| Chromium | ppm | ASTM D5185m | >20 | 1 | 1 | 1 |
| Nickel | ppm | ASTM D5185m | >4 | 0 | 0 | 0 |
| Titanium | ppm | ASTM D5185m | | 0 | <1 | 0 |
| Silver | ppm | ASTM D5185m | >3 | 0 | 0 | 0 |
| Aluminum | ppm | ASTM D5185m | >20 | 7 | 6 | 12 |
| Lead | ppm | ASTM D5185m | >40 | <1 | <1 | 0 |
| Copper | ppm | ASTM D5185m | >330 | 2 | 2 | 16 |
| Tin | ppm | ASTM D5185m | >15 | <1 | <1 | <1 |
| Vanadium | ppm | ASTM D5185m | | 0 | <1 | 0 |
| White Metal | scalar | *Visual | NONE | NONE | NONE | NONE |
| Yellow Metal | scalar | *Visual | NONE | NONE | NONE | NONE |

CONTAMINATION











There is no indication of any contamination in the oil.

| | | | | | | |
|------------------|----------|-------------|-------|----------------|-------|-------|
| Silicon | ppm | ASTM D5185m | >25 | 5 | 5 | 14 |
| Potassium | ppm | ASTM D5185m | >20 | 11 | 7 | 36 |
| Fuel | | WC Method | >5 | <1.0 | <1.0 | <1.0 |
| Water | | WC Method | >0.2 | NEG | NEG | NEG |
| Glycol | | WC Method | | NEG | NEG | NEG |
| Soot % | % | *ASTM D7844 | >3 | 1.7 | 1 | 0.7 |
| Nitration | Abs/cm | *ASTM D7624 | >20 | 9.5 | 7.8 | 12.4 |
| Sulfation | Abs/.1mm | *ASTM D7415 | >30 | 21.4 | 20.0 | 26.1 |
| Silt | scalar | *Visual | NONE | NONE | NONE | NONE |
| Debris | scalar | *Visual | NONE | NONE | NONE | NONE |
| Sand/Dirt | scalar | *Visual | NONE | NONE | NONE | NONE |
| Appearance | scalar | *Visual | NORML | NORML | NORML | NORML |
| Odor | scalar | *Visual | NORML | NORML | NORML | NORML |
| Emulsified Water | scalar | *Visual | >0.2 | NEG | NEG | NEG |

FLUID CONDITION

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

| | | | | | | |
|------------------|----------|-------------|------|--------------|------|------|
| Sodium | ppm | ASTM D5185m | | 3 | 2 | 2 |
| Boron | ppm | ASTM D5185m | | 8 | 11 | 3 |
| Barium | ppm | ASTM D5185m | | 0 | 0 | 0 |
| Molybdenum | ppm | ASTM D5185m | | 61 | 62 | 60 |
| Manganese | ppm | ASTM D5185m | | <1 | <1 | 2 |
| Magnesium | ppm | ASTM D5185m | | 794 | 793 | 831 |
| Calcium | ppm | ASTM D5185m | | 1348 | 1303 | 1181 |
| Phosphorus | ppm | ASTM D5185m | | 978 | 977 | 864 |
| Zinc | ppm | ASTM D5185m | | 1233 | 1259 | 1165 |
| Sulfur | ppm | ASTM D5185m | | 3228 | 3146 | 3152 |
| Oxidation | Abs/.1mm | *ASTM D7414 | >25 | 15.4 | 14.6 | 24.2 |
| Base Number (BN) | mg KOH/g | ASTM D2896 | 9.8 | 8.8 | 9.2 | 5.8 |
| Visc @ 100°C | cSt | ASTM D445 | 15.6 | 14.0 | 14.2 | 12.7 |



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC0867920 **Received** : 23 Feb 2024
Lab Number : 06098954 **Tested** : 26 Feb 2024
Unique Number : 10897184 **Diagnosed** : 26 Feb 2024 - Wes Davis
Test Package : MOB 1 (Additional Tests: TBN)

ANSON CO SCHOOL BUS GARAGE
 89 BOGGAN CUT RD
 WADESBORO, NC
 US 28135
 Contact: MATT POWELL
 powell.berkeley@anson.k12.nc.us

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:
F: