

Store 6 - Ashland [150083] JOHN DEERE 26G 1FF026GXCPK269310 omponen Coolant JOHN DEERE COOLGARD II (--- GAL)

RECOMMENDATION


We recommend that you perform a partial drain and top off with straight antifreeze to increase level of glycol.


Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		LEC0044726		
Sample Date		Client Info		18 Apr 2024		
Machine Age	hrs	Client Info		287		
Oil Age	hrs	Client Info		287		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
Total Dissolved Solids				16.5		
Coolant Appearance		*Visual	Clear	normal		
Boiling Point	°C	WC Method		220		
Specific Gravity		*ASTM D1298		1.046		
рН	Scale 0-14	ASTM D1287		5.87		
Nitrites	ppm	AP-053:2009		NT		
Reserve Alkalinity	Scale 0-20	*ASTM D1121				
Percentage Glycol	%	ASTM D3321		A 34.5		
Freezing Point	°F	ASTM D3321		-2		
Carboxylate				n/a		
Coolant Color		*Visual		Yllow		


CORROSION

CONTAMINANTS

There is no indication of any contamination in the coolant.







Submitted By: STORE 5 - CROSS LANES - KYLE HIGGINS Page 2 of 2