CORROSION
CONTAMINANTS
COOLANT CONDITION

NORMAL NORMAL NORMAL


[CENTER LINE CONT]

JOHN DEERE 9520R 1RW9520RKME067361

Component Coolant

{not provided} (--- GAL)

RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service.	Sample Number		Client Info		JR0198568		
	Sample Date		Client Info		29 Apr 2024		
	Machine Age	hrs	Client Info		659		
	Oil Age	hrs	Client Info		0		
	Oil Changed		Client Info		N/A		
	Sample Status				NORMAL		
CORROSION	Total Dissolved Solids				340.5		
	Coolant Appearance		*Visual	Clear	normal		
CONTAMINANTS	Boiling Point	°C	WC Method		226		
There is no indication of any contamination in the coolant.	Specific Gravity		*ASTM D1298		1.069		
	рН	Scale 0-14	ASTM D1287		7.98		
	Nitrites	ppm	AP-053:2009		NT		
	Reserve Alkalinity	Scale 0-20	*ASTM D1121				
	Percentage Glycol	%	ASTM D3321		51.2		
	Freezing Point	°F	ASTM D3321		-38		
	Carboxylate				n/a		
	Coolant Color		*Visual		Yllow		







Certificate L2367

Laboratory Sample No.

Lab Number : 06176016 Unique Number : 11022069

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : JR0198568

Received **Tested** Diagnosed

: 10 May 2024 : 16 May 2024 : 16 May 2024 - Jonathan Hester Test Package : COOL- (Additional Tests: BoilingPoint, COOL, GlycolType, PQ)

JRE - MONROE 2112 MORGAN MILL ROAD MONROE, NC US 28110

Contact: MONROE SHOP Steve.Drugan@jamesriverequipment.com T:

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Nitrites

> 600 400

F: