



Machine Id
VOLVO L180H 5373
Component
Coolant
Fluid
HYBRID (HOAT) COOLANT (--- GAL)

RECOMMENDATION

No corrective action is recommended at this time. The fluid is suitable for further service.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		ML0001060	---	---
Sample Date		Client Info		17 May 2024	---	---
Machine Age	hrs	Client Info		6152	---	---
Oil Age	hrs	Client Info		0	---	---
Oil Changed		Client Info		Changed	---	---
Sample Status				NORMAL	---	---








CORROSION

Total Dissolved Solids				335.0	---	---
Coolant Appearance		*Visual	Clear	normal	---	---

CONTAMINANTS

There is no indication of any contamination in the coolant.

Boiling Point	°C	WC Method		225	---	---
Specific Gravity		*ASTM D1298		1.065	---	---
pH	Scale 0-14	ASTM D1287		7.28	---	---
Nitrites	ppm	AP-053:2009		0	---	---
Reserve Alkalinity	Scale 0-20	*ASTM D1121		---	---	---
Percentage Glycol	%	ASTM D3321		48.7	---	---
Freezing Point	°F	ASTM D3321		-31	---	---
Carboxylate				fail	---	---
Coolant Color		*Visual		Yllow	---	---



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : ML0001060 **Received** : 23 May 2024
Lab Number : 06189697 **Tested** : 25 May 2024
Unique Number : 11046449 **Diagnosed** : 29 May 2024 - Doug Bogart
Test Package : COOL- (Additional Tests: BoilingPoint, COOL, GlycolType)

MCCLUNG-LOGAN EQUIPMENT CO - BRIDGEVILLE
 17941 SUSSEX HIGHWAY
 BRIDGEVILLE, DE
 US 19933
 Contact: MATT CLARK
 MCLARK@mcclung-logan.com
 T: (302)337-3400
 F: (302)337-9083

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)