

NORMAL CORROSION CONTAMINANTS COOLANT CONDITION NORMAL

ASTM D3321

ASTM D3321

*Visual

47.5

-28

n/a

Red


NORMAL


Machine Id CATERPILLAR 330DL EX6124 (S/N 0MWP01222) Component Coolant Fluid {not provided} (GAL)							
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service.	Sample Number		Client Info		DC0035660		
	Sample Date		Client Info		16 May 2024		
	Machine Age	hrs	Client Info		21048		
	Oil Age	hrs	Client Info		21048		
	Oil Changed		Client Info		N/A		
	Sample Status				NORMAL		
CORROSION	RROSION Total Dissolved Solids						
	Coolant Appearance		*Visual	Clear	normal		
CONTAMINANTS	Boiling Point	°C	WC Method		224		
There is no indication of any contamination in the coolant.	Specific Gravity		*ASTM D1298		1.064		
	рН	Scale 0-14	ASTM D1287		7.55		
	Nitrites	ppm	AP-053:2009		636		
	Reserve Alkalinity	Scale 0-20	*ASTM D1121				

Percentage Glycol % Freezing Point °F

Carboxylate

Coolant Color





COMER CONSTRUCTION Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513 Sample No. : DC0035660 Received 2100 SLADE LANE : 28 May 2024 Lab Number : 06193480 Tested FOREST HILL, MD : 30 May 2024 Unique Number : 11050232 : 31 May 2024 - Jonathan Hester US 21050 Diagnosed Test Package : COOL- (Additional Tests: BoilingPoint, COOL, GlycolType) Contact: RANDY SLADE Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. rslade@comerconstruction.com * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: F: (410)638-0289 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Submitted By: RANDY SLADE Page 2 of 2