

## Machine Id **735** Component **Diesel Engine** Fluid **PETRO CANADA DURON SHP 15W40 (--- QTS)**

	· · · · · · · · · · · · · · · · · · ·						
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
Resample at the next service interval to monitor. Please specify the component make and model with your next sample.	Sample Number		Client Info		WC0773693	WC0773689	WC0773701
	Sample Date		Client Info		24 Jun 2024	24 Jun 2024	09 Apr 2024
	Machine Age	hrs	Client Info		200	200	0
	Oil Age	hrs	Client Info		0	0	200
	Filter Age	hrs	Client Info		0	0	200
	Oil Changed		Client Info		Changed	Changed	Changed
	Filter Changed		Client Info		Changed	Changed	Changed
	Sample Status				NORMAL		NORMAL
WEAR Metal levels are typical for a new component breaking in.	Iron	ppm	ASTM D5185m	>100	3	3	<1
	Chromium	ppm	ASTM D5185m	>20	0	0	0
	Nickel	ppm	ASTM D5185m	>4	0	0	<1
	Titanium	ppm	ASTM D5185m		<1	<1	<1
	Silver	ppm	ASTM D5185m	>3	<1	0	<1
	Aluminum	ppm	ASTM D5185m	>20	<1	<1	2
	Lead	ppm	ASTM D5185m	>40	0	0	0
	Copper	ppm	ASTM D5185m	>330	<1	<1	0
	Tin	ppm	ASTM D5185m	>15	0	0	0
	Vanadium	ppm	ASTM D5185m		<1	<1	0
	White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
CONTAMINATION	Silicon	ppm	ASTM D5185m	<u>⊳25</u>	3	2	2
	Potassium	ppm	ASTM D5185m		<1	<1	2
There is no indication of any contamination in the oil.	Fuel	pp	WC Method		<1.0	<1.0	<1.0
	Water		WC Method		NEG	NEG	NEG
	Glycol		WC Method		NEG	NEG	NEG
	Soot %	%	*ASTM D7844	>3	0.2	0.2	0.2
	Nitration	Abs/cm	*ASTM D7624	>20	6.1	6.0	6.1
	Sulfation	Abs/.1mm	*ASTM D7415	>30	18.1	17.9	18.0
	Silt	scalar	*Visual	NONE	NONE	NONE	NONE
	Debris	scalar	*Visual	NONE	NONE	NONE	NONE
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
	Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
	Odor	scalar	*Visual	NORML	NORML	NORML	NORML
	Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	NEG
FLUID CONDITION	Sodium	ppm	ASTM D5185m		<1	<1	1
	Boron	ppm	ASTM D5185m	0	0	<1	1
The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.	Barium	ppm	ASTM D5185m		0	0	0
	Molybdenum	ppm	ASTM D5185m	60	58	55	50
	Manganese	ppm	ASTM D5185m	0	<1	<1	0
	Magnesium	ppm	ASTM D5185m	1010	1034	978	839
	Calcium	ppm	ASTM D5185m	1070	1114	1065	948
	Phosphorus	ppm	ASTM D5185m	1150	1060	1035	929
	Zinc	ppm	ASTM D5185m	1270	1335	1287	1139
	Sulfur	ppm	ASTM D5185m	2060	3845	3672	3271
	Oxidation	Abs/.1mm	*ASTM D7414	>25	14.4	14.4	14.7
	Base Number (BN)	mg KOH/g	ASTM D2896	9.8	9.2	9.3	9.2
	Vies 0 10000	- 01	AOTA DATE	4 5 4	44.0	110	110


Visc @ 100°C cSt

ASTM D445 15.4

14.2

14.2

14.3



To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: Mike Agosti - AREJOH Page 2 of 2

T: (814)965-1265

F: