

NORMAL

Machine Id VOLVO A45G 342727 Component Coolant Fluid Inot provided (GAL)
 {not provided} (GAL)

RECOMMENDATION


We recommend that you perform a partial drain and top off with straight antifreeze to increase level of glycol.


Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		VCP0008465		
Sample Date		Client Info		27 Jun 2024		
Machine Age	hrs	Client Info		3922		
Oil Age	hrs	Client Info		3922		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
Total Dissolved Solids				194.0		
Coolant Appearance		*Visual	Clear	normal		
Boiling Point	°C	WC Method		220		
Specific Gravity		*ASTM D1298		1.045		
рН	Scale 0-14	ASTM D1287		7.76		
Nitrites	ppm	AP-053:2009		NT		
Reserve Alkalinity	Scale 0-20	*ASTM D1121				
Percentage Glycol	%	ASTM D3321		A 33.7		
Freezing Point	°F	ASTM D3321		0		
Carboxylate				fail		
Coolant Color		*Visual		Yllow		


CORROSION

CONTAMINANTS

There is no indication of any contamination in the coolant.







Submitted By: TECHNICIAN ACCOUNT Page 2 of 2