

## Machine Id JOHN DEERE JOHN DEERE 200 KW Compone **Auxiliary Engine**

## MOBIL 15W40 (10 GAL)

·····							
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
Resample at the next service interval to monitor. ( Customer Sample Comment: Top Up Amount: 1 GAL )	Sample Number		Client Info		KL0013586	KL0011796	KL0007361
	Sample Date		Client Info		17 Jun 2024	28 Mar 2024	03 Apr 2023
	Machine Age	hrs	Client Info		4785	3980	1490
	Oil Age	hrs	Client Info		750	2500	1000
	Filter Age	hrs	Client Info		250	2500	1000
	Oil Changed		Client Info		Oil Added	Changed	Changed
	Filter Changed		Client Info		Changed	Changed	Changed
	Sample Status				NORMAL	NORMAL	NORMAL
WEAR All component wear rates are normal.	Iron	ppm	ASTM D5185m	>100	6	16	4
	Chromium	ppm	ASTM D5185m		0	1	0
	Nickel	ppm	ASTM D5185m		0	<1	0
	Titanium	ppm	ASTM D5185m		0	<1	0
	Silver	ppm	ASTM D5185m		0	<1	0
	Aluminum	ppm	ASTM D5185m		<1	2	<1
	Lead	ppm	ASTM D5185m		<1	2	0
	Copper	ppm	ASTM D5185m		1	4	<1
	Tin	ppm	ASTM D5185m		0	1	0
	Vanadium	ppm	ASTM D5185m		0	<1	0
	White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
CONTAMINATION	Silicon	ppm	ASTM D5185m		3	6	3
There is no indication of any contamination in the oil.	Potassium	ppm	ASTM D5185m		<1	2	1
	Fuel		WC Method	>4.0	<1.0	<1.0	<1.0
	Water		WC Method	>0.1	NEG	NEG	NEG
	Glycol		WC Method		NEG	NEG	NEG
	Soot %	%	*ASTM D7844	00	0.2	0.6	0.1
	Nitration	Abs/cm	*ASTM D7624	>20	9.2	10.5	6.9
	Sulfation	Abs/.1mm	*ASTM D7415		19.5	22.4	21.0
	Silt	scalar	*Visual	NONE	NONE	NONE	NONE
	Debris	scalar	*Visual	NONE	NONE	NONE	NONE
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
	Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
	Odor Emulsified Water	scalar scalar	*Visual *Visual	NORML >0.1	NORML NEG	NORML NEG	NORML NEG
		Scalai	visuai	20.1		NLG	NLG
FLUID CONDITION	Sodium	ppm	ASTM D5185m	>118	1	<1	1
	Boron	ppm	ASTM D5185m		52	41	52
The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.	Barium	ppm	ASTM D5185m		0	0	0
	Molybdenum	ppm	ASTM D5185m		11	33	28
	Manganese	ppm	ASTM D5185m		<1	1	<1
	Magnesium	ppm	ASTM D5185m		553	461	430
	Calcium	ppm	ASTM D5185m		1755	1804	1838
	Phosphorus	ppm	ASTM D5185m		829	770	709
	Zinc	ppm	ASTM D5185m		942	955	824
	Sulfur	ppm	ASTM D5185m		3616	3012	5047
	Oxidation	Abs/.1mm	*ASTM D7414	>25	16.8	22.4	18.9
	Base Number (BN)	mg KOH/g	ASTM D2896		7.3	7.0	9.4
	Vian (2 10000	- 01	AOTA DATE			10.1	10.0


Visc @ 100°C cSt

ASTM D445

13.4

13.2

13.2



Lab Number : 06231018 Tested SEATTLE, WA : 10 Jul 2024 Unique Number : 11114511 Diagnosed : 10 Jul 2024 - Don Baldridge US 98117 Test Package : FLEET Contact: BURT PARKER Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. icfish@teleport.com \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: (206)297-2737 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) F: (206)297-2949

Submitted By: MELODY PETERSON Page 2 of 2