

WEAR NORMAL CONTAMINATION NORMAL FLUID CONDITION NORMAL

55.5

-47

n/a

Red



[20242918] Machine Id Caterpillar 4560 New Design Gen 3 Component Radiator Coolant Fluid CONVENTIONAL COOLANT (35 GAL)

RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service.	Sample Number		Client Info		DC0037004		
	Sample Date		Client Info		25 Jun 2024		
	Machine Age	yrs	Client Info		0		
	Oil Age	yrs	Client Info		0		
	Filter Age	yrs	Client Info		0		
	Oil Changed		Client Info		Not Changd		
	Filter Changed		Client Info		N/A		
	Sample Status				NORMAL		
WEAR	Total Dissolved Solids				493.5		
	Coolant Appearance		*Visual	Clear	normal		
CONTAMINATION	Water		WC Method		NEG		
FLUID CONDITION nation in the coolant.	Boiling Point	°C	WC Method		227		
Glycol and nitrite levels are acceptable. The pH level of this fluid is within the acceptable limits.	Specific Gravity		*ASTM D1298		1.074		
	рН	Scale 0-14	ASTM D1287		8.45		
	Nitrites	ppm	AP-053:2009		1124		

Reserve Alkalinity Scale 0-20 *ASTM D1121

ASTM D3321

ASTM D3321

*Visual

Percentage Glycol %

Freezing Point °F

Carboxylate

Coolant Color





