CORROSION CONTAMINANTS COOLANT CONDITION NORMAL NORMAL NORMAL


Machine Id

## **SAKAI 4SW48-10234C**

Component Coolant

**CONVENTIONAL COOLANT (--- GAL)** 

RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service.	Sample Number		Client Info		JR0222136		
	Sample Date		Client Info		08 Jul 2024		
	Machine Age	hrs	Client Info		6094		
	Oil Age	hrs	Client Info		6094		
	Oil Changed		Client Info		Not Changd		
	Sample Status				NORMAL		
CORROSION	Total Dissolved Solids				373.0		
	Coolant Appearance		*Visual	Clear	normal		
	Coolant Appearance		Visual	Clear	Horman		
CONTAMINANTS	Boiling Point	°C	WC Method		225		
There is no indication of any contamination in the coolant.	Specific Gravity		*ASTM D1298		1.066		
	рН	Scale 0-14	ASTM D1287		7.15		
	Nitrites	ppm	AP-053:2009		NT		
	Reserve Alkalinity	Scale 0-20	*ASTM D1121				
	Percentage Glycol	%	ASTM D3321		48.9		
	Freezing Point	°F	ASTM D3321		-31		
	Carboxylate				n/a		
	Coolant Color		*Visual		Green		





Certificate L2367

Laboratory Sample No.

Lab Number : 06234400 Unique Number : 11123234

: JR0222136

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received **Tested** 

: 11 Jul 2024 Diagnosed Test Package : COOL- ( Additional Tests: GlycolType )

: 16 Jul 2024 : 16 Jul 2024 - Jonathan Hester

1200 1000

> 600 400

> -200

JRE - GREENVILLE 3604 HIGHWAY 264 E GREENVILLE, NC US 27834-5800 Contact: GREENVILLE SHOP

To discuss this sample report, contact Customer Service at 1-800-237-1369.

christopher.martin@jamesriverequipment.com T:

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: