



# RAPPORT D'ANALYSE D'HUILE

USURE	<b>NORMAL</b>
CONTAMINATION	<b>NORMAL</b>
ÉTAT DU FLUIDE	<b>NORMAL</b>

Secteur  
**MICHAUDVILLE**  
Identité de la machine  
**1221**

Composant  
**Transmission (Auto)**  
Fluid  
**DEXRON III (--- GAL)**

## RECOMMENDATION

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) DEXRON III. Please confirm.  
Please specify the component make and model with your next sample.

## USURE

All component wear rates are normal.











## CONTAMINATION

There is no indication of any contamination in the fluid.

## ÉTAT DU FLUIDE

The condition of the fluid is acceptable for the time in service.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Numéro d'échant.		Client Info		<b>PC0088509</b>	PC0077676	PC0077387
Date d'échant.		Client Info		<b>01 Apr 2024</b>	19 Dec 2023	13 Sep 2023
Âge d la Machine	hrs	Client Info		<b>11251</b>	10954	10510
Âge de l'huile	hrs	Client Info		<b>0</b>	0	0
Âge du filtre	hrs	Client Info		<b>0</b>	0	0
Huile changée		Client Info		<b>N/A</b>	N/A	N/A
Filtre changé		Client Info		<b>N/A</b>	N/A	N/A
Statut de l'échant.				<b>NORMAL</b>	NORMAL	NORMAL
<hr/>						
Fer	ppm	ASTM D5185(m)	>160	<b>73</b>	71	57
Chrome	ppm	ASTM D5185(m)	>5	<b>0</b>	0	<1
Nickel	ppm	ASTM D5185(m)	>5	<b>0</b>	<1	<1
Titane	ppm	ASTM D5185(m)		<b>0</b>	0	0
Argent	ppm	ASTM D5185(m)	>5	<b>0</b>	0	0
Aluminium	ppm	ASTM D5185(m)	>50	<b>26</b>	25	22
Plomb	ppm	ASTM D5185(m)	>50	<b>15</b>	15	14
Cuivre	ppm	ASTM D5185(m)	>225	<b>18</b>	18	16
Étain	ppm	ASTM D5185(m)	>10	<b>2</b>	2	2
Vanadium	ppm	ASTM D5185(m)		<b>0</b>	0	0
Métal blanc	scalar	Visual*	NONE	<b>NONE</b>	NONE	NONE
Bronze	scalar	Visual*	NONE	<b>NONE</b>	NONE	NONE
<hr/>						
Silicium	ppm	ASTM D5185(m)	>20	<b>4</b>	5	5
Potassium	ppm	ASTM D5185(m)	>20	<b>1</b>	2	1
L'eau		WC Method	>0.1	<b>NEG</b>	NEG	NEG
Limon	scalar	Visual*	NONE	<b>NONE</b>	NONE	NONE
Débris	scalar	Visual*	NONE	<b>VLITE</b>	NONE	NONE
Saleté	scalar	Visual*	NONE	<b>NONE</b>	NONE	NONE
Apparence	scalar	Visual*	NORML	<b>NORML</b>	NORML	NORML
Odeur	scalar	Visual*	NORML	<b>NORML</b>	NORML	NORML
Eau émulsifiée	scalar	Visual*	>0.1	<b>NEG</b>	NEG	.2%
<hr/>						
Sodium	ppm	ASTM D5185(m)		<b>5</b>	4	5
Bore	ppm	ASTM D5185(m)		<b>117</b>	119	119
Baryum	ppm	ASTM D5185(m)		<b>0</b>	0	0
Molybdène	ppm	ASTM D5185(m)		<b>0</b>	0	0
Manganèse	ppm	ASTM D5185(m)		<b>0</b>	<1	<1
Magnésium	ppm	ASTM D5185(m)		<b>&lt;1</b>	1	2
Calcium	ppm	ASTM D5185(m)		<b>53</b>	58	57
Phosphore	ppm	ASTM D5185(m)		<b>304</b>	318	330
Zinc	ppm	ASTM D5185(m)		<b>10</b>	10	12
Soufre	ppm	ASTM D5185(m)		<b>688</b>	759	722
Visc 40°C	cSt	ASTM D7279(m)	26.0	<b>36.1</b>	36.6	36.5
Visc 100°C	cSt	ASTM D7279(m)	5.5	<b>7.0</b>	7.1	7.1
Indice de viscosité (VI)	Scale	ASTM D2270*	155	<b>158</b>	160	160



ISO 17025:2017  
Accredited  
Laboratory

**Laboratoire** : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9

**N° d'échantillon** : PC0088509

**N° de laboratoire** : 02626128

**Numéro unique** : 5759260

**Analyse** : MOB 1 ( Additional Tests: KV100, VI )

**Reçu** : 02 Apr 2024

**Tested** : 02 Apr 2024

**Diagnostiqué** : 02 Apr 2024 - Wes Davis

**LES ENTREPRISES MICHAUVILLE INC.**

270 RUE BRUNET

MONT ST-HILAIRE, QC

CA J3H 0M6

Contact: Martin Trudel

mtrudel@michaudville.com

T:

F:

Pour discuter ce rapport, contacter le service à la clientèle au 1-800-268-2131.

Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab.

La validez de los resultados y la interpretación se basan en la muestra y la información proporcionada.