

LABORATORY ANALYSIS



11525 Rock Island Court, St. Louis, MO 63043
Tel: 1-800-876-0008 info@englube.com

Department **REYLAM-PRESS**
 Equipment No. **TURNSC0302 TURNSTYLE UNIT 2 (00122)**
 System **Gearbox**
 Oil Type **ENGINEERED LUBRICANTS ENLUBE 20-AW (--- GAL)**

COPELAND (MHDS)
 6001 S. 35TH STREET, SUITE D"
 REYNOSA, ZZ
 US
 Contact: GERARDO GUERRERO
 francisco.castillo@Copeland.com
 T:
 F:

Diagnosis

Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. There is no indication of any contamination in the oil. The system and fluid cleanliness is acceptable. Viscosity of sample indicates oil is within ISO 46 range, advise investigate. The condition of the oil is acceptable for the time in service.

Sample Information

Lab Number	New	2404-00898	2401-00727	2310-00821
Date of Sample	(Typical)	05 Apr 2024	19 Jan 2024	10 Oct 2023
Oil Added		UNK	UNK	UNK
Last Drain Date		--	--	--
Months on Sample		168.9	166.5	163.3
Last Filter Service		--	--	--
Sample Point		---	---	---
Sample Status		NORMAL	NORMAL	NORMAL

VISCOSITY @ 100F or 40C (ASTM D-445)

SSU Vis. @ 100F	SSU	272.0	242.3	243.3
cSt Vis. @ 40C	cSt	46	46.92	47.12

% WATER - KARL FISCHER (ASTM E203)

% Water (KF)	%	0.150	---	---
ppm Water (KF)	ppm	1,500	---	---

COLOR (BASED ON ASTM D1500 STANDARDS)

Color	Scale 0-8	1.5*	0.5	<0.5
-------	-----------	------	-----	------

PARTICLE COUNT (PER 1ML)

ISO CODE	ISO 4406(c)	>19/18/14	18/16/12	18/16/12	19/17/12
4 Micron & Larger	particles/ml	>5000	1,950	2,275	2,935
6 Micron & Larger	particles/ml	>2500	356	460	694
14 Micron & Larger	particles/ml	>160	22	23	37
21 Micron & Larger	particles/ml	>40	3	7	9
38 Micron & Larger	particles/ml	>10	0	1	1
70 Micron & Larger	particles/ml	>3	0	0	0

ICP - OILS (REPORTED IN PARTS PER MILLION)

Aluminum (Al)	ppm	<5	<5	<5
Antimony (Sb)	ppm	<5	<5	<5
Cadmium (Cd)	ppm	<5	<5	<5
Chromium (Cr)	ppm	<5	<5	<5
Cobalt (Co)	ppm	<5	<5	<5
Copper (Cu)	ppm	<5	<5	<5
Iron (Fe)	ppm	<5	<5	<5
Lead (Pb)	ppm	<5	<5	<5
Manganese (Mn)	ppm	<5	<5	<5
Molybdenum(Mo)	ppm	<5	<5	<5
Nickel (Ni)	ppm	<5	<5	<5
Silver (Ag)	ppm	<5	<5	<5
Tin (Sn)	ppm	<5	<5	<5
Titanium (Ti)	ppm	<5	<5	<5
Vanadium (V)	ppm	<5	<5	<5
Barium (Ba)	ppm	<5	<5	<5
Boron (B)	ppm	<5	<5	<5
Calcium (Ca)	ppm	50	62	63
Magnesium (Mg)	ppm	<5	<5	<5
Phosphorus(P)	ppm	453	472	506
Silicon (Si)	ppm	<5	<5	<5
Zinc (Zn)	ppm	715	592	621
Sulfur (S)	ppm	1,780	1,470	1,5

Customer Id: MOTMCA
 Sample No.: EN24040898
 Lab Number: 24040898
 Test Package: TEST




To manage this report scan the QR code

To discuss the diagnosis or test data:
 Brian Klutenkamper +1 (314)872-9540
bklutenkamper@englube.com

To change component or sample information:
 Tracy Weaks +1 (314)872-9540
tweaks@englube.com

OIL ANALYSIS REPORT



DR FERROGRAPHY READINGS

L		■ 2.1	■ 0.7	■ 3.8
S		■ 0.4	■ 0.1	■ 1.5
WPC	DL + DS	■ 2.5	■ 0.8	■ 5.3

