




HEATER 4


Customer:	System Information	Sample Information
ASSOCIATED ASPHALT 195 LAWSON FORK ROAD INMAN, SC 29349 USA Attn: ZACHARY LOWRY Tel: (301)797-9030 E-Mail: zachary@maugansvilleag.net	System Volume: 0 gal Bulk Operating Temp: Not Specified Heating Source: Blanket: Fluid: NOT GIVEN Make:	Lab No: 05176320 Analyst: Doug Bogart Sample Date: 02/07/21 Received Date: 02/05/21 Completed: 02/19/21 Doug Bogart doug@wearcheckusa.com

Recommendation: This is a baseline read-out on the submitted sample.

Comments: All component wear rates are normal. There is a light concentration of water present in the fluid. Moderate concentration of visible dirt/debris present in the fluid. The AN level is acceptable for this fluid.

Sample Date	Received Date	Fluid Age	Sample Location	Flash Point (COC)	Water (KF)	Viscosity (40°C)	Acid Number	Solids	GCD 10%	GCD 50%	GCD 90%	GCD % < 335°C
	mm/dd/yy			°F/°C	ppm	cSt	mg/KOH/g	%wt	°F/°C	°F/°C	°F/°C	%
02/07/21	02/05/21	0.0h		448 / 231	2070	75.88	0.304					
Baseline Data				32 / 0					315 / 157	399 / 204		





Sample Date	Iron	Chromium	Nickel	Aluminum	Copper	Lead	Tin	Cadmium	Silver	Vanadium	Silicon	Sodium	Potassium	Titanium	Molybdenum	Antimony	Manganese	Lithium	Boron	Magnesium	Calcium	Barium	Phosphorus	Zinc
02/07/21	147	0	0	0	4	5	0	0	0	1	0	0	0	0	19	0	0		0	3	10	0	9	0
Baseline Data			0	0						0			0	0					0				0	

Elemental analysis results (above) in parts per million (ppm). [10,000 ppm = 1.0%]

GCD Spectrum

Historical Comments	

WearCheck Canada makes no representation or warranty of any kind, either express or implied, as to the accuracy or completeness of the analysis and assumes no responsibility and shall have no liability whatsoever with respect to such analysis, or a party's use of it.