

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR LH60M 141098-1217 - Front Differential

Sample No: LH0284996

Oil Type: GEAR OIL SAE 80W90



JOHN ZUBICK LTD.
 105 CLARKE ROAD
 LONDON, ON
 CA N5W 5C9
 Contact: John French
 honeil@zubicks.com
 T: (519)451-5470
 F: (519)451-4245



SAMPLE INFORMATION

Sample Number	LH0284996	LH0251566	LH0234949	---
Sample Date	22 Feb 2024	24 Feb 2023	14 Nov 2022	---
Machine Hours	2811	934	467	---
Oil Hours	0	0	0	---
Oil Changed	Changed	Changed	Changed	---
Sample Status	NORMAL	NORMAL	NORMAL	---



OIL CONDITION

Visc @ 40°C	cSt	104	105	186	---
-------------	-----	-----	-----	-----	-----



CONTAMINATION

Water	%	NEG	NEG	NEG	---
Silicon	ppm	4	2	6	---
Sodium	ppm	<1	<1	2	---
Potassium	ppm	<1	<1	<1	---



WEAR METALS

Iron	ppm	5	2	5	---
Copper	ppm	27	6	7	---
Lead	ppm	<1	0	<1	---
Tin	ppm	0	0	0	---
Aluminum	ppm	<1	<1	<1	---
Chromium	ppm	0	0	0	---
Molybdenum	ppm	0	0	0	---
Nickel	ppm	0	<1	<1	---
Titanium	ppm	0	0	0	---
Silver	ppm	0	0	0	---
Manganese	ppm	0	0	<1	---
Vanadium	ppm	0	0	0	---



ADDITIVES

Calcium	ppm	13	9	10	---
Magnesium	ppm	2	2	<1	---
Zinc	ppm	25	15	12	---
Phosphorus	ppm	1149	1210	1208	---
Barium	ppm	9	9	353	---
Boron	ppm	254	256	3	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: JOHLON
 Unique No: 5734840
 Signed: Wes Davis
 Report Date: 23 Feb 2024



GRAPHS

