LIEBHERR

CONSTRUCTION EQUIPMENT



Sample No: LH

Oil Type: {unknown}

MATION					
LH	LH				
04 Mar 2024	29 Jun 2023				
6970	6242				
0	135				
Not Changd	Not Changd				
NORMAL	NORMAL				
OIL CONDITION					
191	192				
	04 Mar 2024 6970 0 Not Changd NORMAL	LH LH 04 Mar 2024 29 Jun 2023 6970 6242 0 135 Not Changd Not Changd NORMAL NORMAL	LH LH 04 Mar 2024 29 Jun 2023 6970 6242 0 135 Not Changd NORMAL NORMAL		

CONTAMINATION							
Water	%	NEG	NEG				
Silicon	ppm	7	4				
Sodium	ppm	10	9				
Potassium	ppm	1	O <1				

(O) WE				
WEA	AR META	LS		
Iron	ppm	122	O 52	
Copper	ppm	83	O 55	
Lead	ppm	2	O 1	
Tin	ppm	0	O 0	
Aluminum	ppm	1	O <1	
Chromium	ppm	() <1	O <1	
Molybdenum	ppm	0	0	
Nickel	ppm	○ <1	O 0	
Titanium	ppm	0	O 0	
Silver	ppm	0	0	
Manganese	ppm	2	1	
Vanadium	ppm	0	0	
1000				

variaululli	ppiii	U	U			
ADDITIVES						
ADDITIVES						
Calcium	ppm	11	11			
Magnesium	ppm	<1	1			
Zinc	ppm	52	40			
Phosphorus	ppm	2317	2294			
Barium	ppm	<1	<1			
Boron	ppm	1	2			



LIEBHERR CANADA LTEE 444 AVENUE DE LA FRICHE DOLBEAU-MISTASSINI, QC CA G8L 3M7

Contact: Martin Gagnon martin.gagnon@liebherr.com

T:

F: (418)276-9844

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:LBADOLUnique No:5737113Signed:Kevin MarsonReport Date:06 Mar 2024

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

