

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR LH50M 120737-1216 - Hydraulic System

Sample No: LHMC108375

Oil Type: CHEVRON HYDRAULIC OIL AW ISO 46



STAIMAN RECYCLING

201 HEPBURN ST
WILLIAMSPORT, PA
US 17701

Contact: JOE MARKLEY

jmarkleysr@staimanrecycling.com

T: (570)419-5479

F:



SAMPLE INFORMATION

Sample Number	LHMC108375	LH0173879	---	---
Sample Date	15 Apr 2021	14 Dec 2020	---	---
Machine Hours	2044	1058	---	---
Oil Hours	2044	1058	---	---
Oil Changed	Not Changd	Not Changd	---	---
Sample Status	ABNORMAL	ABNORMAL	---	---



OIL CONDITION

Visc @ 40°C	cSt	● 43.0	● 44.1	---	---
Acid Number (AN)	mg KOH/g	● 1.060	● 1.217	---	---



CONTAMINATION

Water	%	---	● 0.138	---	---
Silicon	ppm	● 0	● <1	---	---
Sodium	ppm	● <1	● 2	---	---
Potassium	ppm	● 1	● 0	---	---



WEAR METALS

Iron	ppm	● 8	● 8	---	---
Copper	ppm	● 3	● 5	---	---
Lead	ppm	● <1	● <1	---	---
Tin	ppm	● 0	● <1	---	---
Aluminum	ppm	● 0	● <1	---	---
Chromium	ppm	● <1	● <1	---	---
Molybdenum	ppm	● 0	● <1	---	---
Nickel	ppm	● 0	● 0	---	---
Titanium	ppm	0	0	---	---
Silver	ppm	<1	4	---	---
Manganese	ppm	● <1	● <1	---	---
Vanadium	ppm	0	0	---	---



ADDITIVES

Calcium	ppm	● 1051	● 1406	---	---
Magnesium	ppm	● 5	● 6	---	---
Zinc	ppm	● 657	● 724	---	---
Phosphorus	ppm	● 539	● 640	---	---
Barium	ppm	● 0	● 0	---	---
Boron	ppm	● 1	● 4	---	---

Diagnosis

We recommend you service the filters on this component. Resample at the next service interval to monitor. We were unable to perform a particle count due to a high concentration of particles present in this sample. All component wear rates are normal. Moderate concentration of visible dirt/debris present in the oil. The water content is negligible. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: STAWILLH

Unique No: 9516337


Signed: Don Baldrige

Report Date: 26 May 2021




GRAPHS


Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C



Acid Number

