# LIEBHERR

**CONSTRUCTION EQUIPMENT** 

### LIEBHERR LH50 145582-1216 - Rear Differential

Sample No: LH0243272

Chromium

Nickel

Silver

Titanium

Manganese

Molybdenum

ppm

ppm

ppm

ppm

ppm

ppm

0<1

**()** <1

0<1

<1

0

**1** 

Oil Type: LIEBHERR GEAR BASIC 90 LS

<b>A</b>				
U SAM	PLE INFO	DRMATION		
Sample Number		LH0243272	LH0243210	 
Sample Date		15 Jun 2023	15 Mar 2023	 
Machine Hours		1005	461	 
Oil Hours		0	461	 
Oil Changed		N/A	Not Changd	 
Sample Status		NORMAL	NORMAL	 
OIL	ONDITIO	ON		
Visc @ 40°C	cSt	<b>147</b>	O 152	 
200				
CON	TAMINA	TION		
Silicon	ppm	<b>2</b>	<b>7</b>	 
Sodium	ppm	<b>5</b>	<b>3</b>	 
Potassium	ppm	<b>2</b>	O 0	 
WEA	R META	LS		
Iron	ppm	<b>6</b>	<b>1</b> 7	 
Copper	ppm	<b>6</b>	<b>6</b>	 
Lead	ppm	<b>0</b> <1	0	 
Tin	ppm	<b>0</b> <1	0	 
Aluminum	ppm	<b>2</b>	0	 



## RECO EQUIPMENT INC

10461 GRAND RIVER RD BRIGHTON, MI US 48116

Contact: MATT VISEL
MVISEL@RECOEQUIP.COM

T: (810)299-1731

F:

#### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Vanadium	ppm	0	<1						
WI .									
ADDITIVES									
Calcium	ppm	<b>6</b>	<b>190</b>						
Magnesium	ppm	<b>6</b>	<b>4</b>						
Zinc	ppm	<b>3</b>	<b>24</b>						
Phosphorus	ppm	<b>1548</b>	1438						
Barium	ppm	<b>97</b>	O 0						
Boron	nnm	<b>111</b>	O 10						

04

0

02

Depot:RECBRILHUnique No:10535224Signed:Jonathan HesterReport Date:30 Jun 2023

# CONSTRUCTION EQUIPMENT





#### **GRAPHS**

