LIEBHERR

CONSTRUCTION EQUIPMENT



Sample No: LH0244625

Sodium

Potassium

ppm

ppm

0

<1</p>

Oil Type: AW HYDRAULIC OIL ISO 46

5					
SAMPLE INFORMATION					
Sample Number	LH0244625				
Sample Date	11 Aug 2023				
Machine Hours	9202				
Oil Hours	0				
Oil Changed	N/A				
Sample Status	NORMAL				
A					

OIL CO	ONDITION					
Visc @ 40°C	cSt	43.2				
Acid Number (AN)	mg KOH/g	0.41				
CONTAMINATION						
Particles >4µm		16709				
Particles >6µm		2141				
Particles >14µm		114				
ISO 4406:1999 (c)		21/18/14				
Silicon	ppm	4				

WEA	AR META	LS		
Iron	ppm	8	 	
Copper	ppm	○ <1	 	
Lead	ppm	○ <1	 	
Tin	ppm	0	 	
Aluminum	ppm	0	 	
Chromium	ppm	0	 	
Molybdenum	ppm	0	 	
Nickel	ppm	0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	0	 	
Vanadium	ppm	0	 	

ADDITIVES						
Calcium	ppm	56				
Magnesium	ppm	0 <1				
Zinc	ppm	432				
Phosphorus	ppm	333				
Barium	ppm	0 <1				
Boron	ppm	0				



MR BULTS INC

2627 E 139TH ST BURNHAM, IL US 60633

Contact: SERVICE MANAGER

T: (708)868-0059

F:

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.

All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:MRBBURLHUnique No:10605995Signed:Wes DavisReport Date:17 Aug 2023

CONSTRUCTION EQUIPMENT





GRAPHS

