LIEBHERR

CONSTRUCTION EQUIPMENT

LIEBHERR LH60 014705 - Right Final Drive

Sample No: LH06060476

Oil Type: LIEBHERR GEAR BASIC 90 LS

| 5 | | | | | |
|-------------------|-------------|--|--|--|--|
| SAMPLEINFORMATION | | | | | |
| Sample Number | LH06060476 | | | | |
| Sample Date | 15 Dec 2023 | | | | |
| Machine Hours | 438 | | | | |
| Oil Hours | 438 | | | | |
| Oil Changed | N/A | | | | |
| Sample Status | NORMAL | | | | |
| | | | | | |
| OIL CONDITION | | | | | |

| Visc @ 40°C | cSt | O 171 | | | | |
|---------------|--------------------|----------|--|--|--|--|
| VISC @ 40 C | COL | 0 171 | | | | |
| 44 | | | | | | |
| CONT | CONTA MUNICIPALITY | | | | | |
| CONTAMINATION | | | | | | |
| Water | % | NEG | | | | |
| Silicon | ppm | 2 | | | | |
| Sodium | ppm | 4 | | | | |
| Potassium | ppm | 2 | | | | |

| WEA | R METAI | LS | | |
|------------|---------|-------------|------|--|
| Iron | ppm | 57 | | |
| Copper | ppm | 0 <1 | | |
| Lead | ppm | 0 0 | | |
| Tin | ppm | 0 <1 | | |
| Aluminum | ppm | 0 0 | | |
| Chromium | ppm | 0 <1 | | |
| Molybdenum | ppm | 0 | | |
| Nickel | ppm | 0 0 | | |
| Titanium | ppm | 0 | | |
| Silver | ppm | 0 | | |
| Manganese | ppm | 1 | | |
| Vanadium | ppm | 0 | | |
| | | | | |

| vanadium | ppm | U | | | |
|------------|-----|-------------|--|--|--|
| ADDI | | | | | |
| ADDITIVES | | | | | |
| Calcium | ppm | 67 | | | |
| Magnesium | ppm | 0 | | | |
| Zinc | ppm | 36 | | | |
| Phosphorus | ppm | 2441 | | | |
| Barium | ppm | 0 | | | |
| Boron | ppm | 5 | | | |



MIDDLE RIVER MARINE 1771 SOUTH TORRENCE AVE CHICAGO, IL US 60617

Contact: Scott Molitor

scottmolitor@gomiddleriver.com

T: F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:MIDCHIILUnique No:10831858Signed:Don BaldridgeReport Date:16 Jan 2024

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

