

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR HS 8100.1 2209 (S/N 186057) - Pump

Sample No: LH0272227

Oil Type: LIEBHERR HYDRAULIC 37



SAMPLE INFORMATION

Sample Number	LH0272227	---	---	---
Sample Date	11 Jan 2024	---	---	---
Machine Hours	569	---	---	---
Oil Hours	569	---	---	---
Oil Changed	Not Changd	---	---	---
Sample Status	NORMAL	---	---	---

DENSIFICATION INC
 40650 HURLEY LN
 PAEONIAN SPRINGS, VA
 US 20129
 Contact: ROBERT SHAFFER
 rob@densification.com
 T: (703)623-1407
 F: (540)882-4190



OIL CONDITION

Visc @ 40°C	cSt	● 28.8	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	● <1	---	---	---
Sodium	ppm	● 0	---	---	---
Potassium	ppm	● 0	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.



WEAR METALS

Iron	ppm	● 0	---	---	---
Copper	ppm	● 10	---	---	---
Lead	ppm	● 0	---	---	---
Tin	ppm	● 0	---	---	---
Aluminum	ppm	● 0	---	---	---
Chromium	ppm	● 0	---	---	---
Molybdenum	ppm	● 0	---	---	---
Nickel	ppm	0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	● <1	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES


Calcium	ppm	552	---	---	---
Magnesium	ppm	● 2	---	---	---
Zinc	ppm	● 561	---	---	---
Phosphorus	ppm	● 432	---	---	---
Barium	ppm	● 0	---	---	---
Boron	ppm	● 8	---	---	---

Depot: DENPAE
 Unique No: 10833613
 Signed: Don Baldrige
 Report Date: 18 Jan 2024




GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C

