

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR LH50M 1216-98638 - Rear Right Wheel Hub

Sample No: LH0268210

Oil Type: LIEBHERR GEAR BASIC 90 LS



AMERICAN STATE EQUIPMENT CO.
 2055 SOUTH 108TH STREET
 MILWAUKEE, WI
 US 53227
 Contact: RAY SCHMIDT
 RSCHMIDT@AMSTATE.COM
 T: (414)234-0854
 F: (414)541-1892



SAMPLE INFORMATION

Sample Number	LH0268210	LH0263933	LH0245050	LH0221002
Sample Date	25 Jan 2024	17 Aug 2023	29 Mar 2023	29 Sep 2022
Machine Hours	13406	12191	11277	10101
Oil Hours	0	0	0	0
Oil Changed	Changed	Changed	N/A	Changed
Sample Status	NORMAL	NORMAL	NORMAL	NORMAL



OIL CONDITION

Visc @ 40°C	cSt	121	123	137	190



CONTAMINATION

Water	%	NEG	NEG	NEG	NEG
Silicon	ppm	1	2	2	3
Sodium	ppm	0	0	<1	<1
Potassium	ppm	0	<1	0	1



WEAR METALS

Iron	ppm	28	23	28	40
Copper	ppm	2	4	4	9
Lead	ppm	0	0	0	0
Tin	ppm	0	0	0	0
Aluminum	ppm	0	0	1	<1
Chromium	ppm	0	0	0	0
Molybdenum	ppm	0	<1	0	<1
Nickel	ppm	0	0	0	0
Titanium	ppm	<1	<1	0	0
Silver	ppm	0	0	0	0
Manganese	ppm	<1	<1	<1	1
Vanadium	ppm	0	0	0	0



ADDITIVES

Calcium	ppm	21	29	30	4
Magnesium	ppm	0	7	4	<1
Zinc	ppm	8	20	13	13
Phosphorus	ppm	799	740	935	2364
Barium	ppm	0	0	0	0
Boron	ppm	<1	2	3	3

Diagnosis


Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: LEC0007
 Unique No: 10857281
 Signed: Sean Felton
 Report Date: 01 Feb 2024




GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C

