

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR L528 040762-1267 - Transmission (Auto)

Sample No: LH0268839

Oil Type: LIEBHERR HYDRAULIC-GEAR ATF



FINKBINER EQUIPMENT CO.
 15 W 400 N FRONTAGE RD
 BURR RIDGE, IL
 US 60527
 Contact: DON FITZGERALD
 dfitzgerald@finkbiner.com
 T: (815)546-8991
 F: (630)654-3792



SAMPLE INFORMATION

Sample Number	LH0268839	---	---	---
Sample Date	11 Jan 2024	---	---	---
Machine Hours	1765	---	---	---
Oil Hours	1765	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	● 29.2	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	● 9	---	---	---
Sodium	ppm	● <1	---	---	---
Potassium	ppm	● 2	---	---	---



WEAR METALS

Iron	ppm	● 71	---	---	---
Copper	ppm	● <1	---	---	---
Lead	ppm	● 0	---	---	---
Tin	ppm	● 0	---	---	---
Aluminum	ppm	● 2	---	---	---
Chromium	ppm	● <1	---	---	---
Molybdenum	ppm	● 0	---	---	---
Nickel	ppm	● 0	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	● 0	---	---	---
Manganese	ppm	● 1	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	● 239	---	---	---
Magnesium	ppm	● 2	---	---	---
Zinc	ppm	● 34	---	---	---
Phosphorus	ppm	● 215	---	---	---
Barium	ppm	● 7	---	---	---
Boron	ppm	● 76	---	---	---

Diagnosis


Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.

Depot: LEC0033
 Unique No: 10863084
 Signed: Don Baldrige
 Report Date: 07 Feb 2024




GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C

