

# LIEBHERR

## CONSTRUCTION EQUIPMENT



### LIEBHERR LH60M 121879-1217 - Rear Differential

Sample No: LH0268866

Oil Type: LIEBHERR GEAR BASIC 90 LS



**LIEBHERR EQUIPMENT SOURCE**  
 4100 CHESTNUT AVENUE  
 NEWPORT NEWS, VA  
 US 23607  
 Contact: LUKE APPLEBY  
 Lucas.Appleby@liebherr.com  
 T:  
 F: (757)298-8700



#### SAMPLE INFORMATION

Sample Number	LH0268866	---	---	---
Sample Date	27 Feb 2024	---	---	---
Machine Hours	7442	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---



#### OIL CONDITION

Visc @ 40°C	cSt	● 183	---	---	---
-------------	-----	-------	-----	-----	-----



#### CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	● 7	---	---	---
Sodium	ppm	● 4	---	---	---
Potassium	ppm	● 2	---	---	---



#### WEAR METALS

Iron	ppm	● 90	---	---	---
Copper	ppm	● 85	---	---	---
Lead	ppm	● 1	---	---	---
Tin	ppm	● <1	---	---	---
Aluminum	ppm	● 2	---	---	---
Chromium	ppm	● 1	---	---	---
Molybdenum	ppm	● <1	---	---	---
Nickel	ppm	● <1	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	● 3	---	---	---
Vanadium	ppm	<1	---	---	---



#### ADDITIVES

Calcium	ppm	● 24	---	---	---
Magnesium	ppm	● 2	---	---	---
Zinc	ppm	● 49	---	---	---
Phosphorus	ppm	● 1372	---	---	---
Barium	ppm	● 318	---	---	---
Boron	ppm	● 8	---	---	---

#### Diagnosis


Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

**Depot:** LIEBHERRUS  
**Unique No:** 10914461  
**Signed:** Don Baldrige  
**Report Date:** 09 Mar 2024




### GRAPHS

#### Ferrous Alloys



#### Non-ferrous Metals



#### Viscosity @ 40°C

