



Sample No: LH0259121

Oil Type: LIEBHERR HYDRAULIC 37

=				
SAMP	LE INFOR	MATION		
Sample Number		LH0259121	 	
Sample Date		20 Mar 2024	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
<u> </u>				
OIL CO	NDITION			
Visc @ 40°C	cSt	<b>36.1</b>	 	
Acid Number (AN)		0.29	 	
<b></b>	3 - 3	<u> </u>		
CONT	AMINATI			
CONT	AMINATI	ON		
Water	%	NEG	 	
Particles >4µm		<b>1258</b>	 	
Particles >6µm		<b>98</b>	 	
Particles >14µm		<b>7</b>	 	
ISO 4406:1999 (c)		17/14/10	 	
Silicon	ppm	<b>0</b>	 	
Sodium	ppm	<b>1</b>	 	
Potassium	ppm	<b>0</b>	 	
-				
WEAR	METALS			
Iron	ppm	<b>0</b> 0	 	
Copper	ppm	<b>6</b>	 	
Lead	ppm	<b>0</b> 0	 	
Tin	ppm	<b>0</b> 0	 	
Aluminum	ppm	<b>0</b> 0	 	
Chromium	ppm	<b>0</b> 0	 	
Molybdenum	ppm	<b>0</b> 0	 	
Nickel	ppm	<b>0</b> 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	

LIEBHERR USA CO - MOBILE AND CRAWLER CRANES 4100 CHESTNUT AVENUE NEWPORT NEWS, VA US 23607 Contact: CHRIS JONES

chris.jones@liebherr.com T: (757)245-5251

F:

## Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Vanadium	ppm	0								
WILL.										
ADDITIVES										
Calcium	ppm	<b>15</b>								
Magnesium	ppm	0<1								
Zinc	ppm	202								
Phosphorus	ppm	<b>226</b>								
Barium	ppm	<b>0</b> 0								
Boron	ppm	<b>0</b> 0								

Depot: **LIENEW Unique No:** 10942795 Signed: Don Baldridge **Report Date:** 28 Mar 2024

**0** 

Manganese

ppm

## CONSTRUCTION EQUIPMENT





## **GRAPHS**

