

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR LTM1250-5.1088721- Lower Hydraulic System

Sample No: LH0259141

Oil Type: LIEBHERR HYDRAULIC 37



SAMPLE INFORMATION

Sample Number	LH0259141	---	---	---
Sample Date	20 Mar 2024	---	---	---
Machine Hours	0	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---

LIEBHERR USA CO - MOBILE AND CRAWLER CRANES
 4100 CHESTNUT AVENUE
 NEWPORT NEWS, VA
 US 23607
 Contact: CHRIS JONES
 chris.jones@liebherr.com
 T: (757)245-5251
 F:



OIL CONDITION

Visc @ 40°C	cSt	36.2	---	---	---
Acid Number (AN)	mg KOH/g	0.32	---	---	---



CONTAMINATION

Water	%	NEG	---	---	---
Particles >4µm		4075	---	---	---
Particles >6µm		499	---	---	---
Particles >14µm		24	---	---	---
ISO 4406:1999 (c)		19/16/12	---	---	---
Silicon	ppm	0	---	---	---
Sodium	ppm	2	---	---	---
Potassium	ppm	0	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



WEAR METALS

Iron	ppm	16	---	---	---
Copper	ppm	22	---	---	---
Lead	ppm	7	---	---	---
Tin	ppm	0	---	---	---
Aluminum	ppm	0	---	---	---
Chromium	ppm	2	---	---	---
Molybdenum	ppm	0	---	---	---
Nickel	ppm	0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	0	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES


Calcium	ppm	47	---	---	---
Magnesium	ppm	5	---	---	---
Zinc	ppm	233	---	---	---
Phosphorus	ppm	212	---	---	---
Barium	ppm	0	---	---	---
Boron	ppm	0	---	---	---

Depot: LIENEW
 Unique No: 10942796
 Signed: Don Baldrige
 Report Date: 28 Mar 2024




GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

