LIEBHERR

CONSTRUCTION EQUIPMENT

LIEBHERR LH50M 149704-1216 - Front Differential

Sample No: LH0286739

Oil Type: GEAR OIL SAE 80W90

INFORMAT	ION SUR L'ÉCHA	NTILLON		
Numéro d'échant.	LH0286739			
Date d'échant.	18 Mar 2024			
Heures de la Machine	1366			
Heures de l'huile	0			
Huile changée	Changed			
Statut de l'echant.	NORMAL			
(A) ÉTATRULIU E				

J. 141.4. 1	0 . 00				
(ÉTATI	D'HUILE			l
Visc 40	°C	cSt	138	 	 i

CONTAMINATION						
Eau	%	NEG				
Silicium	ppm	3				
Sodium	ppm	4				
Potassium	ppm	○ <1		***	***	

Fer ppm 5	Wé1	IAUX D'U	ISURE		
Plomb ppm </th <th>Fer</th> <th>ppm</th> <th>5</th> <th> </th> <th></th>	Fer	ppm	5	 	
Étain ppm 0 -	Cuivre	ppm	18	 	
Aluminium ppm <1	Plomb	ppm	<1	 	
Chrome ppm ○ 0 Molybdène ppm ○ 0 Nickel ppm ○ <1	Étain	ppm	0	 	
Molybdène ppm 0 Nickel ppm 0 Titane ppm 0 Argent ppm 0 Manganèse ppm 0	Aluminium	ppm	<1	 	
Nickel ppm Image: square of the content	Chrome	ppm	0	 	
Titane ppm 0 Argent ppm 0 Manganèse ppm 0	Molybdène	ppm	0	 	
Argent ppm 0 Manganèse ppm 0	Nickel	ppm	○ <1	 	
Manganèse ppm 0	Titane	ppm	0	 	
	Argent	ppm	0	 	
Vanadium ppm 0	Manganèse	ppm	0	 	
- Caracana Pp.	Vanadium	ppm	0	 	

vanadium	ppm	U	 	
ADDI	TIFS			
Calcium	ppm	5	 	
Magnésium	ppm	1	 	
Zinc	ppm	15	 	
Phosphore	ppm	1816	 	
Baryum	ppm	4	 	
Bore	ppm	141	 	



DUNDEE RECYCLING LTD 1092 BRIDGE ST NEW DUNDEE (WILMOT), ON CA N0B 2E0 Contact: SERVICE

T: F:

Diagnostic

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) GEAR OIL SAE 80W90. Please confirm.

All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:DUNWILUnique No:5748253Signed:Wes DavisReport Date:19 Mar 2024

LIEBHERR







GRAPHS

