LIEBHERR

CONSTRUCTION EQUIPMENT

LIEBHERR L566 077068-1758 - Rear Differential

Sample No: LH0290873

Oil Type: GEAR OIL SAE 80W90

Information sur l'échantillon					
		LH0290873			
Numéro d'échant.					
Date d'échant.		13 Jun 2024			
Heures de la Machine		0			
Heures de l'huile		0			
Huile changée		N/A			
Statut de l'echant.		SEVERE			
État d	'huile				
Visc 40°C	cSt	192			
		O 102			
Contamination					
Conta	imination				
Eau	%	NEG			
Silicium	ppm	31			
Sodium	ppm	6			
Potassium	ppm	0 <1			

Métaux d'usure					
Fer	ppm	444			
Cuivre	ppm	159			
Plomb	ppm	3			
Étain	ppm	11			
Aluminium	ppm	2			
Chrome	ppm	3			
Molybdène	ppm	0			
Nickel	ppm	8			
Titane	ppm	0			
Argent	ppm	0			
Manganèse	ppm	32			
Vanadium	ppm	0			
Addit	rifs				
Calcium	ppm	8			
Magnésium	ppm	5			
Zinc	ppm	42			
Phosphore	ppm	2197			
Baryum	ppm	() <1			
		_			



Sintra Inc. (division Ouest)

9975 rue de Chateauneuf, Local B Brossard, QC

CA J4Z 3V6

Contact: Service Manager jonathan.smith@sintra.ca

T: F:

Diagnostic

We recommend that you drain the oil from the component if this has not already been done. We recommend an early resample to monitor this condition. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) GEAR OIL SAE 80W90. Please confirm.Copper, nickel and tin ppm levels are severe. Thrust washer and/or bearing/bushing wear is indicated. We have assumed that this component is not breaking in (age of component not reported). There is no indication of any contamination in the oil. The oil is no longer serviceable as a result of the abnormal and/or severe wear.

Depot: SINBRO
Unique No: 5799601
Signed: Kevin Marson
Report Date: 17 Jun 2024

3

ppm

Bore





Graphs

