

# OIL ANALYSIS REPORT

Sample Rating Trend

**NORMAL**



Area  
**[450162752]**  
Machine Id  
**CD-86201 #2 KSG**  
Component  
**Unknown Component**  
Fluid  
**NOT GIVEN (--- GAL)**



## DIAGNOSIS

**Recommendation**  
Little or no information is provided as to the component and lubricant being tested. Recommendations are therefore generic in nature and may not apply to the current application. Please forward information as to equipment type, reservoir capacity, lubricant type and any pertinent information to allow for a more accurate assessment. Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. Please specify the brand, type, and viscosity of the oil on your next sample.

**Wear**  
All component wear rates are normal.

**Contamination**  
There is no indication of any contamination in the sample.

**Fluid Condition**  
The AN level is acceptable for this fluid. The condition of the sample is suitable for further service.

## SAMPLE INFORMATION

	method	limit/base	current	history 1	history 2
Sample Number	Client Info		<b>PC</b>	---	---
Sample Date	Client Info		<b>05 Jul 2023</b>	---	---
Machine Age	hrs Client Info		<b>0</b>	---	---
Oil Age	hrs Client Info		<b>0</b>	---	---
Oil Changed	Client Info		<b>N/A</b>	---	---
Sample Status			<b>NORMAL</b>	---	---

## WEAR METALS

	method	limit/base	current	history 1	history 2
PQ	ASTM D8184*		<b>0</b>	---	---
Iron	ppm ASTM D5185(m)		<b>5</b>	---	---
Chromium	ppm ASTM D5185(m)		<b>0</b>	---	---
Nickel	ppm ASTM D5185(m)		<b>0</b>	---	---
Titanium	ppm ASTM D5185(m)		<b>0</b>	---	---
Silver	ppm ASTM D5185(m)		<b>&lt;1</b>	---	---
Aluminum	ppm ASTM D5185(m)		<b>2</b>	---	---
Lead	ppm ASTM D5185(m)		<b>0</b>	---	---
Copper	ppm ASTM D5185(m)		<b>&lt;1</b>	---	---
Tin	ppm ASTM D5185(m)		<b>0</b>	---	---
Antimony	ppm ASTM D5185(m)		<b>0</b>	---	---
Vanadium	ppm ASTM D5185(m)		<b>0</b>	---	---
Beryllium	ppm ASTM D5185(m)		<b>0</b>	---	---
Cadmium	ppm ASTM D5185(m)		<b>0</b>	---	---

## ADDITIVES

	method	limit/base	current	history 1	history 2
Boron	ppm ASTM D5185(m)		<b>4</b>	---	---
Barium	ppm ASTM D5185(m)		<b>0</b>	---	---
Molybdenum	ppm ASTM D5185(m)		<b>&lt;1</b>	---	---
Manganese	ppm ASTM D5185(m)		<b>&lt;1</b>	---	---
Magnesium	ppm ASTM D5185(m)		<b>19</b>	---	---
Calcium	ppm ASTM D5185(m)		<b>5343</b>	---	---
Phosphorus	ppm ASTM D5185(m)		<b>923</b>	---	---
Zinc	ppm ASTM D5185(m)		<b>965</b>	---	---
Sulfur	ppm ASTM D5185(m)		<b>10662</b>	---	---
Lithium	ppm ASTM D5185(m)		<b>&lt;1</b>	---	---





## CONTAMINANTS

	method	limit/base	current	history 1	history 2
Silicon	ppm ASTM D5185(m)		<b>5</b>	---	---
Sodium	ppm ASTM D5185(m)		<b>2</b>	---	---
Potassium	ppm ASTM D5185(m)	>20	<b>&lt;1</b>	---	---

## FLUID DEGRADATION

	method	limit/base	current	history 1	history 2
Acid Number (AN)	mg KOH/g ASTM D974*		<b>1.82</b>	---	---

# OIL ANALYSIS REPORT








PARAMETER	method	limit/base	current	history 1	history 2
White Metal	scalar	Visual*	NONE	NONE	---
Yellow Metal	scalar	Visual*	NONE	NONE	---
Precipitate	scalar	Visual*	NONE	NONE	---
Silt	scalar	Visual*	NONE	NONE	---
Debris	scalar	Visual*	NONE	NONE	---
Sand/Dirt	scalar	Visual*	NONE	NONE	---
Appearance	scalar	Visual*	NORML	NORML	---
Odor	scalar	Visual*	NORML	NORML	---
Emulsified Water	scalar	Visual*	NEG	---	---
Free Water	scalar	Visual*	NEG	---	---

FLUID PROPERTIES	method	limit/base	current	history 1	history 2
Visc @ 40°C	cSt	ASTM D7279(m)	129	---	---
Visc @ 100°C	cSt	ASTM D7279(m)	13.2	---	---
Viscosity Index (VI)	Scale	ASTM D2270*	95	---	---

SAMPLE IMAGES	method	limit/base	current	history 1	history 2
Color				no image	no image
Bottom				no image	no image

## GRAPHS



**Laboratory** : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9  
**Sample No.** : PC  
**Lab Number** : 02568339  
**Unique Number** : 5605385  
**Test Package** : MAR 2 ( Additional Tests: KV100, TAN Man, VI )  
**Received** : 06 Jul 2023  
**Diagnosed** : 07 Jul 2023  
**Diagnostician** : Kevin Marson

**Suncor - Terra Nova Projects**  
 Scotia Centre, 235 Water Street  
 St. John's, NL  
 CA A1C 1B6  
 Contact: Josh Hynes  
 joshhynes@suncor.com  
 T: (709)778-3575  
 F: (709)724-2835

To discuss this sample report, contact Customer Service at 1-800-268-2131.  
 Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab.  
 Validity of results and interpretation are based on the sample and information as supplied.