

# **OIL ANALYSIS REPORT**



**NORMAL** 



# TOMATO HARVEST

Component Pump

**NOT GIVEN (--- LTR)** 

## DIAGNOSIS Recommendation

Little or no information is provided as to the component and lubricant being tested. Recommendations are therefore generic in nature and may not apply to the current application. Please forward information as to equipment type, reservoir capacity, lubricant type and any pertinent information to allow for a more accurate assessment. Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. Please specify the brand, type, and viscosity of the oil on your next sample.

## Wear

All component wear rates are normal.

## Contamination

There is no indication of any contamination in the oil.

## **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PC0069563		
Sample Date		Client Info		16 Aug 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS	S	method	limit/base	current	history1	history2
PQ		ASTM D8184*		0		
Iron	ppm	ASTM D5185(m)	>90	5		
Chromium	ppm	ASTM D5185(m)	>5	0		
Nickel	ppm	ASTM D5185(m)	>5	0		
Titanium	ppm	ASTM D5185(m)	>3	0		
Silver	ppm	ASTM D5185(m)	>3	0		
Aluminum	ppm	ASTM D5185(m)	>7	<1		
Lead	ppm	ASTM D5185(m)	>12	1		
Copper	ppm	ASTM D5185(m)	>30	29		
Tin	ppm	ASTM D5185(m)	>9	0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		20		
Barium	ppm	ASTM D5185(m)		0		
Molybdenum	ppm	ASTM D5185(m)		<1		
Manganese	ppm	ASTM D5185(m)		<1		
Magnesium	ppm	ASTM D5185(m)		8		
Calcium	ppm	ASTM D5185(m)		1603		
Phosphorus	ppm	ASTM D5185(m)		704		
Zinc	ppm	ASTM D5185(m)		749		
Sulfur	ppm	ASTM D5185(m)		1903		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINAN <sup>®</sup>	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>60	2		
Sodium	ppm	ASTM D5185(m)		2		
Potassium	ppm	ASTM D5185(m)	>20	1		
FLUID DEGRAD	ATION	method	limit/base	current	history1	history2


1.18

Acid Number (AN)

mg KOH/g ASTM D974\*



## **OIL ANALYSIS REPORT**





CALA ISO 17025:2017 Accredited Laboratory

Sample No. Lab Number **Unique Number** 

: 02576434

: PC0069563

: 5629494

Received : 17 Aug 2023 Diagnosed

: 21 Aug 2023 Diagnostician : Kevin Marson Test Package : IND 2 (Additional Tests: KV100, VI)

To discuss this sample report, contact Customer Service at 1-800-268-2131. Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

11344 COUNTY VIEW LINE

DRESDEN, ON CA

Contact: Kevin kevinjennen2@hotmail.com T: (519)809-4480

Contact/Location: Kevin ? - JENDRE