


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Area
Cranes
Machine Id
Crane - Aft - Slewing Gearbox N°1 (S/N Sample Tag MA-04001-S7)
Component
Gearbox
Fluid
PETRO CANADA GEARLUBE TOS 80W90 (8 LTR)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		PC	PC0039822	PC0039816
Sample Date	Client Info		26 Nov 2023	12 Sep 2023	16 Aug 2023
Machine Age	hrs	Client Info	0	0	0
Oil Age	hrs	Client Info	0	0	0
Oil Changed	Client Info		N/A	N/A	N/A
Sample Status			NORMAL	NORMAL	NORMAL

CONTAMINATION

	method	limit/base	current	history1	history2
Water	WC Method	>0.2	NEG	NEG	NEG

WEAR METALS

	method	limit/base	current	history1	history2
PQ	ASTM D8184*		0	0	0
Iron	ppm	ASTM D5185(m) >150	7	10	10
Chromium	ppm	ASTM D5185(m) >10	0	0	0
Nickel	ppm	ASTM D5185(m) >10	<1	2	<1
Titanium	ppm	ASTM D5185(m)	0	0	0
Silver	ppm	ASTM D5185(m)	<1	<1	<1
Aluminum	ppm	ASTM D5185(m) >5	0	0	<1
Lead	ppm	ASTM D5185(m) >65	<1	<1	0
Copper	ppm	ASTM D5185(m) >80	4	7	3
Tin	ppm	ASTM D5185(m) >8	0	0	0
Antimony	ppm	ASTM D5185(m) >5	0	0	0
Vanadium	ppm	ASTM D5185(m)	0	0	0
Beryllium	ppm	ASTM D5185(m)	0	0	0
Cadmium	ppm	ASTM D5185(m)	0	0	0






ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m) 240	226	212	238
Barium	ppm	ASTM D5185(m) 1	2	2	2
Molybdenum	ppm	ASTM D5185(m) 0.0	0	0	0
Manganese	ppm	ASTM D5185(m)	0	<1	<1
Magnesium	ppm	ASTM D5185(m) 2	<1	<1	<1
Calcium	ppm	ASTM D5185(m) 6	23	24	28
Phosphorus	ppm	ASTM D5185(m) 1000	973	1086	1048
Zinc	ppm	ASTM D5185(m) 3	239	251	249
Sulfur	ppm	ASTM D5185(m) 19400	22110	22882	22311
Lithium	ppm	ASTM D5185(m)	<1	<1	<1

CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m) >20	2	3	3
Sodium	ppm	ASTM D5185(m)	<1	<1	<1
Potassium	ppm	ASTM D5185(m) >20	0	<1	<1

OIL ANALYSIS REPORT



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : PC
Lab Number : 02599085
Unique Number : 5684165
Test Package : MAR 2 (Additional Tests: KV100, PQ, PrtCount, TAN Man, VI)
Received : 27 Nov 2023
Diagnosed : 28 Nov 2023
Diagnostician : Kevin Marson

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>20000	46965	106199	83780	
Particles >6µm	ASTM D7647	>5000	10116	20151	18792	
Particles >14µm	ASTM D7647	>640	506	269	456	
Particles >21µm	ASTM D7647	>160	95	38	82	
Particles >38µm	ASTM D7647	>40	8	3	4	
Particles >71µm	ASTM D7647	>10	5	3	3	
Oil Cleanliness	ISO 4406 (c)	>21/19/16	23/21/16	24/22/15	24/21/16	

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*	1.5	2.11	1.96	2.22

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	VLITE	NONE	NONE
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Precipitate	scalar	Visual*	NONE	NONE	NONE	NONE
Silt	scalar	Visual*	NONE	NONE	NONE	NONE
Debris	scalar	Visual*	NONE	NONE	VLITE	NONE
Sand/Dirt	scalar	Visual*	NONE	NONE	NONE	NONE
Appearance	scalar	Visual*	NORML	NORML	NORML	NORML
Odor	scalar	Visual*	NORML	NORML	NORML	NORML
Emulsified Water	scalar	Visual*	>0.2	NEG	NEG	NEG
Free Water	scalar	Visual*		NEG	NEG	NEG

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	140.3	139	140	139
Visc @ 100°C	cSt	ASTM D7279(m)	15.05	14.7	14.8	14.6
Viscosity Index (VI)	Scale	ASTM D2270*	109	105	105	104

SAMPLE IMAGES		method	limit/base	current	history1	history2
Color						
Bottom						